

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification of the substance or mixture

Product code 15596026

Product name TRIZOL REAGENT

Company/undertaking identification

Life Technologies Corporation
5781 Van Allen Way
5250 Mainway Drive
PO Box 6482
Burlington, ONT
Carlsbad, CA 92008
CANADA L7L 6A4
+1 760 603 7200
800/263-6236

24 hour Emergency Response: 866-536-0631

301-431-8585

Outside of the U.S. +1-301-431-8585

24 hour Emergency Response for Hazardous Materials Within the USA + Canada: 1-800-424-9300 and +1

[or Dangerous Goods] Incident. Spill, Leak, Fire, 703-527-3887

Exposure, or Accident. Call CHEMTRECOutside the USA + Canada: +1 703-741-5970

Country specific Emergency Number (if available):

CHEMTREC Brazil (Rio De Janeiro) +(55)-2139581449 (português)

For Research Use Only. Not for use in diagnostic procedures.

SECTION 2: Hazards identification

GHS - Classification

Signal Word DANGER

Hazard pictograms



Health hazards

Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Skin corrosion/irritation	Category 1 B

Revision date 25-Apr-2017
Product code 15596026 Prod

Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Specific target organ systemic toxicity (repeated exposure)	Category 2

Mutagenicity	Mutagenic category 2

Physical hazards

Not classified

Environmental hazards

Chronic aquatic toxicity	Category 3
--------------------------	------------

Hazard Statements

- H301 Toxic if swallowed
- H311 Toxic in contact with skin
- H331 Toxic if inhaled
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H341 Suspected of causing genetic defects
- H373 May cause damage to organs through prolonged or repeated exposure
- H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash hands thoroughly after handling
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P273 Avoid release to the environment

Response

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards

No information available

HMIS

Health	4 * Chronic Hazard	
Flammability	0	
Reactivity	0	

Revision date 25-Apr-2017 Product code 25-Apr-2017

SECTION 3: Composition/information on ingredients

Component	CAS-No	EINECS-No	Weight %
Phenol 108-95-2 (30-60)	108-95-2	203-632-7	30-60
Guanidine isothiocyanate 593-84-0 (15-40)	593-84-0	209-812-1	15-40
Ammonium thiocyanate 1762-95-4 (7-13)	1762-95-4	217-175-6	7-13

Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach to any liquid wastes containing this product. We recommend handling all chemicals with caution.

SECTION 4: First aid measures

Description of first aid measures

Skin contact Rinse with plenty of water . Immediate medical attention is not required.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do

Ingestion Not expected to present a significant ingestion hazard under anticipated conditions

of normal use. If you feel unwell, seek medical advice.

Inhalation Not expected to be an inhalation hazard under anticipated conditions of normal

use of this material. Consult a physician if necessary.

Notes to Physician Treat symptomatically.

Most important symptoms and effects, both acute and delayed

H301 - Toxic if swallowed H311 - Toxic in contact with skin H331 - Toxic if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation H341 - Suspected of causing genetic defects H373 - May cause damage to organs through prolonged or repeated exposure H412 - Harmful to aquatic life with long lasting effects

Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

25-Apr-2017

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. No information available.

Special hazards arising from the substance or mixture Not known.

Advice for fire-fighters

Revision date

Standard procedure for chemical fires.

Page 3/9

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Always wear recommended Personal Protective Equipment. Use personal protection equipment. See Section 8 for more detail.

Environmental precautions

•

Methods and material for containment and cleaning up

Soak up with inert absorbent material.

Reference to other sections

See section 8 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protective equipment as required. No special handling advices are necessary.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Specific end use(s)

For research use only.

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name	OSHA PEL	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Phenol	5 ppm	None	5 ppm	None
	19 mg/m ³			
Guanidine isothiocyanate	None	None	None	None
Ammonium thiocyanate	5 mg/m³	None	None	None

Engineering measures Ensure adequate ventilation, especially in confined areas

Exposure controls

Personal Protective Equipment

Respiratory protection In case of insufficient ventilation wear respirators and components tested and

approved under appropriate government standards.

Hand protection Wear suitable gloves Glove material: Compatible chemical-resistant gloves.

Eye protection Tight sealing safety goggles

Skin and Body Protection Wear suitable protective clothing

Hygiene measures Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

.

Revision date 25-Apr-2017 Product code 25-Apr-2017 Product code 15596026 Product name TRIZOL REAGENT

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance liauid

Odor No data available

Melting point / melting range Boiling point / boiling range

Flash point

Autoignition Temperature Decomposition temperature

Evaporation rate

Flammability (solid, gas) **Upper explosion limit**

Lower explosion limit **Vapor Pressure** Relative density Specific gravity

Solubility Partition coefficient:

n-octanol/water

Explosive properties

No data available Mixture has not been tested

°C Mixture has not been tested

Mixture has not been tested Mixture has not been tested Mixture has not been tested

No data available No data available No data available

No data available

Mixture has not been tested

Other information No data available °F Mixture has not been tested

SECTION 10: Stability and reactivity

Reactivity None known.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

Hazardous reaction has not been reported.

Conditions to avoid Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach

to any liquid wastes containing this product.

Incompatible materials No dangerous reaction known under conditions of normal use.

Hazardous decomposition

products

Product code

No data available.

Revision date 25-Apr-2017

15596026

SECTION 11: Toxicological information

Information on toxicological effects

Chemical Name	LD50 (oral,rat/mouse)	LD50 (dermal,rat/rabbit)	LC50 (inhalation,rat/mouse)
Phenol	= 340 mg/kg (Rat) = 317 mg/kg (Rat)	No data available	=316mg/m³(Rat)
Guanidine isothiocyanate	764mg/kg	2000 mg/kg	5.319 mg/L (4H)
Ammonium thiocyanate	= 750 mg/kg (Rat)	No data available	No data available

Principal Routes of Exposure

Irritation Skin irritation, Serious Eye Damage / Eye Irritation

Corrosivity Causes severe skin burns and eye damage

Sensitization Conclusive but not sufficient for classification

STOT - Single Exposure May cause respiratory irritation

STOT - Repeated Exposure Conclusive but not sufficient for classification

Carcinogenicity Conclusive but not sufficient for classification

Mutagenicity Product is or contains a chemical which may cause mutations in the germ cells of

humans.

Reproductive toxicity Conclusive but not sufficient for classification

Aspiration hazard Conclusive but not sufficient for classification

SECTION 12: Ecological information

Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae	Water Flea Data	Freshwater Fish	Microtox Data	log Pow
	Data		Species Data		
Phenol	Desmodesmus	Daphnia magna EC50	No data available	No data available	logPow1.5
	subspicatus EC50 187	4.24 - 10.7 mg/L (48			_
	- 279 mg/L (72 h)	h) Daphnia magna			
	Pseudokirchneriella	EC50 10.2 - 15.5 mg/L			
	subcapitata EC50	(48 h)			
	46.42 mg/L (96 h)				
Guanidine isothiocyanate	No data available	No data available	No data available	No data available	No data available
Ammonium thiocyanate	No data available	No data available	No data available	No data available	No data available

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Results of PBT and vPvB assessment

15596026

No information available.

Product code

Other adverse effects No information available.

Revision date 25-Apr-2017 Page 6 / 9

SECTION 13: Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in according to approved disposal technique. Disposal of this product, its solutions or of any by-products, shall comply with the requirements of all applicable local, regional or national/federal regulations

SECTION 14: Transport information

IATA / ADR / DOT-US / IMDG

Classified as dangerous in the meaning of transport regulations.

UN number 1760

UN proper shipping name Corrosive liquid, n.o.s. (phenol - guanidine thiocyanate solution)

Transport hazard class(es) 8

Packing group

Environmental hazards yes

Special precautions for user Not Applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not Applicable.

SECTION 15: Regulatory information

Component	US TSCA
Phenol	Listed
108-95-2 (30-60)	
Guanidine isothiocyanate	Listed
593-84-0 (15-40)	
Ammonium thiocyanate	Listed
1762-95-4 (7-13)	

US Federal Regulations

SARA 313

This product contains the following toxic chemical(s) subject to the notification requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986. This law requires certain manufacturers to report on annual emissions of specified chemicals and chemical categories. Please note that if you repackage, or otherwise redistribute, this product to industrial customers, a notice similar to this one should be sent to those customers:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
Phenol	108-95-2	30-60	1.0
Ammonium thiocyanate	1762-95-4	7-13	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:.

Component	CAS-No	Weight %	HAPS data
Phenol	108-95-2	30-60	Present
108-95-2 (30-60)			
Ammonium thiocyanate	1762-95-4	7-13	Present (XCN where X=H or any
1762-95-4 (7-13)			other group where a formal
			dissociation may occur. For
			example KCN or Ca[CN]2)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

WHMIS Hazard Class

D1A - Very toxic materials E - Corrosive material



This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

SECTION 16: Other information

Reason for revision SDS sections updated.

Revision number 11

Revision date 25-Apr-2017

For Research Use Only. Not for use in diagnostic procedures.

References

• ECHA: http://echa.europa.eu/

Revision date25-Apr-2017Page 8/9Product code15596026Product nameTRIZOL REAGENT

- TOXNET: http://toxnet.nlm.nih.gov/
- eChemPortal: http://www.echemportal.org/
- LOLI database: https://www.chemadvisor.com/loli-database

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRENTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PUPOSE"

End of Safety Data Sheet