SAFETY DATA SHEET

Version 5.7 Revision Date 09/14/2017 Print Date 04/13/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acetylacetone

Product Number : P7754

Brand : Sigma-Aldrich Index-No. : 606-029-00-0

CAS-No. : 123-54-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Canada Co.

2149 Winston Park Drive OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 9058299500 Fax : +1 9058299292

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P233

P243 Take action to prevent static discharges. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261 P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 Wear protective gloves/ eye protection/ face protection. P280 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312 + P330 Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. Take off immediately all contaminated clothing and wash it before reuse. P361 + P364 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. Store locked up. P405 P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : 2,4-Pentanedione

Formula : C₅H₈O₂

Molecular weight : 100.12 g/mol
CAS-No. : 123-54-6
EC-No. : 204-634-0
Index-No. : 606-029-00-0

Registration number : 01-2119458968-15-XXXX

Hazardous components

Component	Classification	Concentration*
Acetylacetone		
	Flam. Liq. 3; Acute Tox. 4; Acute Tox. 3; H226, H302, H311 + H331	90 - 100 %
* Weight percent		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

Sigma-Aldrich - P7754 Page 2 of 8

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

oona or paramotoro				
Acetylacetone	123-54-6		Canada. British Columbia OEL	
Remarks	No British Columbia exposure limit at this time			

	TWA	25.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Long-term systemic effects	12mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	84 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0.01582 mg/kg
Marine water	0.0026 mg/l
Fresh water	0.026 mg/l
Sewage treatment plant	1.32 mg/l
Fresh water sediment	0.155 mg/kg
Marine sediment	0.0155 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 120 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma-Aldrich - P7754 Page 4 of 8

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: liquid

b) Odour No data available Odour Threshold No data available c)

6 at 200 g/l at 20 °C (68 °F) d) рН

e) Melting point/freezing Melting point/range: -23 °C (-9 °F) - lit.

point

Initial boiling point and 140.4 °C (284.7 °F) - lit. f)

boiling range

explosive limits

38 °C (100 °F) - closed cup g) Flash point

No data available h) Evaporation rate i) Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 11.4 %(V) i) Lower explosion limit: 1.7 %(V) flammability or

Vapour pressure No data available Vapour density 3.46 - (Air = 1.0)

m) Relative density 0.975 g/cm3 at 25 °C (77 °F)

n) Water solubility soluble

Partition coefficient: nlog Pow: 1.9

octanol/water

Auto-ignition No data available temperature

temperature

Decomposition No data available

No data available Viscosity r) Explosive properties No data available Oxidizing properties No data available

Other safety information 9.2

> Surface tension 31.2 mN/m at 20 °C (68 °F)

Relative vapour density 3.46 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Reducing agents, Strong bases, Metals

10.6 **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Sigma-Aldrich - P7754 Page 5 of 8

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 760 mg/kg

LD50 Oral - Rat - female - 570 mg/kg

LC50 Inhalation - Rat - 4 h - 5.1 mg/l

LD50 Dermal - Rabbit - male - 790 mg/kg

LD50 Dermal - Rabbit - female - 1,370 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation

(Directive 67/548/EEC, Annex V, B.5.)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Hamster

ovary

Mutation in mammalian somatic cells.

Rat

Result: negative Micronucleus test

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.

No data available

No data available

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: SA1925000

Inhalation may provoke the following symptoms:, Dizziness, Suffocation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - other fish - 106 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 40 mg/l - 24 h

EC100 - Daphnia magna (Water flea) - 90 mg/l - 24 h LC50 - Daphnia magna (Water flea) - 34,409 µg/l - 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

TDG (Canada)

UN number: 2310 Class: 3 (6.1) Packing group: III

Proper shipping name: PENTANE-2,4-DIONE

Poison Inhalation Hazard: No

IMDG

UN number: 2310 Class: 3 (6.1) Packing group: III EMS-No: F-E, S-D

Proper shipping name: PENTANE-2,4-DIONE

IATA

UN number: 2310 Class: 3 (6.1) Packing group: III

Proper shipping name: Pentane-2,4-dione

Sigma-Aldrich - P7754 Page 7 of 8

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H311 + H331 Toxic in contact with skin or if inhaled.

H331 Toxic if inhaled.

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Version: 5.7 Revision Date: 09/14/2017 Print Date: 04/13/2018

Sigma-Aldrich - P7754 Page 8 of 8