

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 06/14/2018

Version 1.6

SECTION 1. Identification**Product identifier**

Product number	170308
Product name	Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobicoke Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
----------------------------	--

SECTION 2. Hazards identification**GHS Classification**

Corrosive to Metals, Category 1, H290
Skin irritation, Category 2, H315
Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling*Hazard pictograms*

Signal Word
Warning

Hazard Statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®	

Precautionary Statements

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature	Aqueous solution
-----------------	------------------

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

nitric acid ($\geq 1\%$ - $< 5\%$)

7697-37-2

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®	

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemisorb® H⁺, Art. No. 101595).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 170308 Version 1.6
Product name Calcium ICP Standard traceable to SRM from NIST Ca(NO₃)₂ in HNO₃ 2-3% 1000 mg/l Ca Certipur®

Tightly closed.

Store at +15°C to +25°C.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>nitric acid 7697-37-2</i>			
CAD AB OEL	Time Weighted Average (TWA):	2 ppm 5.2 mg/m ³	
	Short Term Exposure Limit (STEL):	4 ppm 10 mg/m ³	
CAD BC OEL	Short Term Exposure Limit (STEL):	4 ppm	
	Time Weighted Average (TWA):	2 ppm	
CAD MB OEL	Time Weighted Average (TWA):	2 ppm	
	Short Term Exposure Limit (STEL):	4 ppm	
CAD ON OEL	Time Weighted Average (TWAEV):	2 ppm	
	Short Term Exposure Limit (STEV):	4 ppm	
OEL (QUE)	Time Weighted Average (TWA):	2 ppm 5.2 mg/m ³	
	Short Term Exposure Limit (STEL):	4 ppm 10 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	480 min

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®	

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:
protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
pH	ca. 0.5 at 68 °F (20 °C)
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	Not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST Ca(NO ₃) ₂ in HNO ₃ 2-3% 1000 mg/l Ca Certipur®	

Vapor pressure	No information available.
Relative vapor density	No information available.
Density	ca.1.014 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Corrosion	May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:

nitrous gases, Hydrogen

Violent reactions possible with:

The generally known reaction partners of water.

increased reactivity with:

oxidizable substances, organic solvent, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

Conditions to avoid

no information available

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

170308

Version 1.6

Product name

Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®

Incompatible materials

Metals, metal alloys
(generation of hydrogen)

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

170308

Version 1.6

Product name

Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®

Further information

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

nitric acid

Acute inhalation toxicity

LC50 Rat: > 2.65 mg/l; 4 h ; vapor

OECD Test Guideline 403

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Ingredients

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -2.3

OECD Test Guideline 107

Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant

2482 Pa·m³/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST Ca(NO ₃) ₂ in HNO ₃ 2-3% 1000 mg/l Ca Certipur®	

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID NOT MORE THAN 5%)
Class	8
Packing group	III
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
Class	8
Packing group	III
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID NOT MORE THAN 5%)
Class	8
Packing group	III
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-B

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	170308	Version 1.6
Product name	Calcium ICP Standard traceable to SRM from NIST $\text{Ca}(\text{NO}_3)_2$ in HNO_3 2-3% 1000 mg/l Ca Certipur®	

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Warning

Hazard Statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary Statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 06/14/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.