

SAFETY DATA SHEET

Creation Date 03-December-2010

Revision Date 18-January-2018

Revision Number 4

1. Identification		
Product Name Hydrogen peroxide, 50 wt% solution in water		
Cat No. :	H341-500	
CAS-No	7722-84-1	
Synonyms	Carbamide Peroxide; Hydrogen Dioxid	de; Peroxide
Recommended Use	Laboratory chemicals.	
Uses advised against	Not for food, drug, pesticide or biocidal product use	
Details of the supplier of the	safety data sheet	
Company		
Importer/Distributor		Manufacturer
Fisher Scientific		Fisher Scientific
112 Colonnade Road,		One Reagent Lane
Ottawa, ON K2E 7L6,		Fair Lawn, NJ 07410
Canada		Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Tel: 1-800-234-7437

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Oxidizing liquids Acute oral toxicity Acute Inhalation Toxicity Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Serious Eye Damage/Eye Irritation	Category 2 Category 4 Category 4 Category 1 A Category 1	
Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure)	Category 1 Category 3	
Target Organs - Respiratory system, Central nervous system (CNS).		

Label Elements

Signal Word Danger

Hazard Statements

May cause or intensify fire; oxidizer Harmful if swallowed or if inhaled Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Keep only in original container

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Wear fire/flame resistant/retardant clothing

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Rinse skin with water/shower

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Hydrogen peroxide	7722-84-1	50-60
Water	7732-18-5	40-50

4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.		

Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Ingestion	Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms/effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically

	5. Fire-fighting measures
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	100%
Lower	40%
Oxidizing Properties	Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Hydrogen oxygen Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA_ Health 3	Flammability 0	Instability 1	Physical hazards OX	
	6. Accidental release measures			
Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.			
Environmental Precautions	Should not be released inter			

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do

not store near combustible materials. To maintain product quality. Keep refrigerated.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide	TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³		(Vacated) TWA: 1 ppm (Vacated) TWA: 1.4 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm TWA: 1.4 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Goggles Protective gloves		
Breakthrough time	Glove thickness	Glove comments
See manufacturers recommendations	-	Splash protection only
	Protective gloves Breakthrough time See manufacturers	Protective gloves Breakthrough time Glove thickness See manufacturers -

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143 Inorganic gases and vapours filter Type B Grey conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Slight
Odor Threshold	No information available
рН	1-4
Melting Point/Range	-52 °C / -61.6 °F
Boiling Point/Range	114 °C / 237.2 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	100%
Lower	40%
Vapor Pressure	2.4 kPa @ 30 °C
Vapor Density	1.10
Specific Gravity	1.200
Solubility	miscible
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	> 125°C
Viscosity	No information available
Molecular Formula	H2 O2
Molecular Weight	34

10. Stability and reactivity

Reactive Hazard	Yes	
Stability	Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.	
Conditions to Avoid	Excess heat. Incompatible products. Combustible material.	
Incompatible Materials	Acids, Strong oxidizing agents, Alcohols, Alkaline, Ammonia, Organic materials, Sulfides, Cyanides, lead oxides, lead, Acetone, Acid anhydrides, Metals, copper, Reducing agents, Powdered metals, Strong reducing agents, Combustible material	
Hazardous Decomposition Products Hydrogen, oxygen, Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	
	11. Toxicological information	

Acute Toxicity

roduct Information ral LD50 ermal LD50	Category 4. ATE = 300 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.						
apor LC50	Category 4. ATE = 10 - 20 n	ng/l.					
omponent Information		-					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation				
Hydrogen peroxide	376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol)	>2000 mg/kg (Rabbit)	LC50 = 2 g/m³(Rat)4 h				
Water	-	Not listed	Not listed				
oxicologically Synergistic roducts	No information available						

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes burns by all exposure routes				
Sensitization	No information available				
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.				

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	A3			
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed			
IARC: (Internation ACGIH: (Americal Hygienists)		earch on Cancer) overnmental Industr	IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans ial A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen						
Mexico - Occupati	onal Exposure Lin	A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)							
Mutagenic Effects		Mutagenic effects	lutagenic effects have occurred in experimental animals.						
Reproductive Effect	S	No information available.							
Developmental Effe	cts	No information ava	lo information available.						
Teratogenicity		No information available.							
STOT - single exposureRespiratory system Central nervous system (CSTOT - repeated exposureNone known									
Aspiration hazard No information available									
Symptoms / effects delayed	,both acute and	nd Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation							
Endocrine Disrupto	r Information	No information ava	ailable						
Other Adverse Effects See actual entry in RTECS for complete information.									

12. Ecological information

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrogen peroxide	EC50 2.5 mg/L/72h	LC50: 16.4 mg/L/96h	Not listed	EC50 7.7 mg/L/24h
	_	(P.promelas)		_

Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Miscible with water

Bioaccumulation/Accumulation No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Hydrogen peroxide	-1.1

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
DOT	
UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	11
TDG	
UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	
IATA	

UN2014 UN-No **Proper Shipping Name** HYDROGEN PEROXIDE, AQUEOUS SOLUTION Hazard Class 5.1 **Subsidiary Hazard Class** 8 Packing Group Ш IMDG/IMO **UN-No** UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION **Proper Shipping Name** Hazard Class 5.1 **Subsidiary Hazard Class** 8 Ш **Packing Group** 15. Regulatory information

All of the components in the product are on the following Inventory lists: The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe X = listed U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (ECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Complete Regulatory Information contained in following SDS's

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Hydrogen peroxide	Х	-	Х	231-765-0	-		Х	Х	Х	Х	Х
Water	Х	-	Х	231-791-2	-		Х	-	Х	Х	Х

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	03-December-2010
Revision Date	18-January-2018
Print Date	18-January-2018
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS