



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 03-Feb-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye 1st Down

Other means of identification

SDS # BE-5135

Product Code 5135

Recommended use of the chemical and restrictions on use

Recommended Use Floor Sealer, Water Based.

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA

Emergency Telephone Number

Company Phone Number 1-651-632-8956 (International)
1-800-303-0441 (North America)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White opaque solution **Physical State** Liquid **Odor** Sweet polymer scent No fragrance added

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Diethylene glycol monobutyl ether	112-34-5	3.1
Coalescent	25265-77-4	<2

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation persists.
Skin Contact	Wash with soap and water. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air.
Ingestion	Drink 2-3 large glasses of water. Do not induce vomiting. Call a physician. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	May cause skin and eye irritation.
-----------------	------------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Pick up with mop, wet/dry vac, or absorbent material. Wash spill area with a mild detergent. Rinse affected area with water and allow area to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Keep containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep from freezing. Store at room temperature. Do not store above 110°F.

Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

No exposure limits noted for ingredient(s). The following information is given as general guidance

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Risk of contact: Wear approved safety goggles.

Skin and Body Protection

Wear rubber gloves or other impervious gloves.

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Sweet polymer scent No fragrance added
Appearance	White opaque solution	Odor Threshold	Not determined
Color	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	8.0 - 8.4 (conc. and use dilution)	
Melting Point/Freezing Point	0 °C / 32 °F	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	Tag Closed Cup
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.03	(1=Water)
Water Solubility	Miscible in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Di(ethylene glycol) ethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg (Rat)	> 5240 mg/m ³ (Rat) 4 h
Coalescent 25265-77-4	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	-

Information on physical, chemical and toxicological effects**Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene glycol monobutyl ether 112-34-5	100: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	1300: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static		2850: 24 h <i>Daphnia magna</i> mg/L EC50 100: 48 h <i>Daphnia magna</i> mg/L EC50
Di(ethylene glycol) ethyl ether 111-90-0		11400 - 15700: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 11600 - 16700: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 10000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 19100 - 23900: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 13400: 96 h <i>Salmo gairdneri</i> mg/L LC50 flow-through		3940 - 4670: 48 h <i>Daphnia magna</i> mg/L EC50
Coalescent 25265-77-4	18.4: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	30: 96 h <i>Pimephales promelas</i> mg/L LC50		95: 96 h <i>Daphnia magna</i> mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Di(ethylene glycol) ethyl ether 111-90-0	-0.8
Coalescent 25265-77-4	3.47

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Diethylene glycol monobutyl ether	Present	X		Present		Present	X	Present	X	X
Coalescent	Present	X		Present		Present	X	Present	X	X

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether - 112-34-5	112-34-5	3.1	1.0
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	2.7	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	X		X
Di(ethylene glycol) ethyl ether 111-90-0	X		X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

0

0

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

Not determined

Not determined

Not determined

Not determined

Issue Date:

27-Dec-2011

Revision Date:

03-Feb-2015

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet