# SAFETY DATA SHEET

Version 4.7 Revision Date 09/11/2015 Print Date 05/01/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : N, N, N', N'-Tetramethylethylenediamine

**CANADA** 

Product Number : T9281 Brand : Sigma

Product Use : For laboratory research purposes.

Supplier : Sigma-Aldrich Canada Co. Manufactur : Sigma-Aldrich Corporation

2149 Winston Park Drive er 3050 Spruce St.

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

Telephone : +1 9058299500 Fax : +1 9058299292

Emergency Phone # (For

**Preparation Information** 

both supplier and manufacturer)

: +1-703-527-3887 (CHEMTREC)

Sigma-Aldrich Corporation
Product Safety - Americas Region

1-800-521-8956

# 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

## **WHMIS Classification**

B2 Flammable liquid Flammable liquid

D1A Very Toxic Material Causing Immediate and Highly toxic by inhalation

Serious Toxic Effects

D1B Toxic Material Causing Immediate and Serious Toxic by ingestion

Toxic Effects

D2B Toxic Material Causing Other Toxic Effects Moderate eye irritant

Corrosive Material Corrosive

## **GHS Classification**

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Skin corrosion (Category 1B)
Serious eye damage (Category 1)

# GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour. H301 + H331 Toxic if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Sigma - T9281 Page 1 of 7

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

**HMIS Classification** 

Health hazard: 3 Flammability: 3 Physical hazards: 0

### **Potential Health Effects**

**Inhalation** May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Skin** May be harmful if absorbed through skin. Causes skin burns. May be harmful if

absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns. **Ingestion** Toxic if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula :  $C_6H_{16}N_2$ Molecular weight : 116.2 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
N,N,N',N'-Tetramethylethylenediamine			
110-18-9	203-744-6	612-103-00-3	<=100%

### 4. FIRST AID MEASURES

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

### **Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

### Explosion data - sensitivity to mechanical impact

No data available

## Explosion data - sensitivity to static discharge

No data available

### **Further information**

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. Air and moisture sensitive.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Personal protective equipment

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 125 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Hygiene measures

Sigma - T9281 Page 3 of 7

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form liquid, clear Colour colourless

# Safety data

pH No data available

Melting point/range: -55 °C (-67 °F) - lit.

point/freezing point

Boiling point 120 - 122 °C (248 - 252 °F) - lit.

Flash point 20 °C (68 °F) - closed cup

Ignition temperature No data available
Auto-ignition No data available

temperature

Lower explosion limit 0.98 %(V) Upper explosion limit 9.08 %(V)

Vapour pressure No data available

Density 0.775 g/cm3 at 20 °C (68 °F)

Water solubility soluble

Partition coefficient: log Pow: 0.3

n-octanol/water

Relative vapour

No data available

density

Odour No data available
Odour Threshold No data available
Evaporation rate No data available

## 10. STABILITY AND REACTIVITY

# **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

## Materials to avoid

Strong oxidizing agents, Carbon dioxide (CO2), Copper

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available

# 11. TOXICOLOGICAL INFORMATION

Sigma - T9281 Page 4 of 7

# **Acute toxicity**

### Oral LD50

LD50 Oral - Rat - 268 mg/kg

### Inhalation LC50

LC50 Inhalation - Rat - 4 h - 1318 ppm

#### **Dermal LD50**

LD50 Dermal - Rabbit - 5,390 mg/kg

## Other information on acute toxicity

No data available

### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

Eyes - Rabbit - Severe eye irritation

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

# Reproductive toxicity

No data available

### **Teratogenicity**

No data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

## Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

### **Aspiration hazard**

No data available

### Potential health effects

**Inhalation** May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Ingestion** Toxic if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin burns. May be harmful if absorbed

through skin. Causes skin burns.

**Eyes** Causes eye burns.

## Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema

# Synergistic effects

No data available

# Additional Information

Sigma - T9281 Page 5 of 7

### 12. ECOLOGICAL INFORMATION

## **Toxicity**

No data available

## Persistence and degradability

No data available

# Bioaccumulative potential

No data available

# Mobility in soil

No data available

### PBT and vPvB assessment

No data available

#### Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2372 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: 1,2-DI-(DIMETHYLAMINO)ETHANE

Marine pollutant: No

**IATA** 

UN number: 2372 Class: 3 Packing group: II

Proper shipping name: 1,2-Di-(dimethylamino) ethane

### 15. REGULATORY INFORMATION

### **WHMIS Classification**

B2 Flammable liquid Flammable liquid
D1A Very Toxic Material Causing Immediate and Serious Toxic Effects

Flammable liquid Highly toxic by inhalation

D1B Toxic Material Causing Immediate and Serious

Toxic Effects

D2B Toxic Material Causing Other Toxic Effects Moderate eye irritant

E Corrosive Material Corrosive

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Toxic by ingestion

# **16. OTHER INFORMATION**

Sigma - T9281 Page 6 of 7

# Text of H-code(s) and R-phrase(s) mentioned in Section 3

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - T9281 Page 7 of 7