

SAFETY DATA SHEET

VERT-2-GO SCRUB E-Z

		1. ID	ENTIFICATION		
Product name	:	VERT-2-GO SCRUB E-Z			
Product code	:	07-12140	Other means of identification	:	Not available.
Supplier	:	Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3	Manufacturer	:	Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3
Identified uses	:	Industrial applications: Professionnal bathroom cleaner	Uses advised against	:	Only use this product as directed. Read label before using.
Date of issue (YYYY-MA	۸-DE	o) : 2016-09-19			
In c	ase	e of emergency : Emergency phone	: CANUTEC (613) 996-66	66	(Collect calls accepted)
		2. HAZARI	OS IDENTIFICATION		
Information in t Product Classification		SKIN CORROSION - Category 1B	ontact your account manager to entification.) ge	t more information on diluted form hazards
		SERIOUS EYE DAMAGE - Category 1 Health Hazards Not Otherwise Classified - Categ	ory 1		
Signal word	:	Danger H	Hazard pictograms :	F.	
Hazard statements	:	Causes digestive tract burns. May cause severe eye damage. May cause severe skin burns.			
Precautionary stateme	<u>nts</u>				
General	:	Corrosive material. Handle with care. Read labe	l before use. Keep out of reach	of c	children.
Prevention	:	Wash hands thoroughly after handling. Specific p	rotective equipment is suggested	d fo	r this product. See section 8 for details.
Response	:	IF INHALED: Move person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. In any case of exposure, get medical attention if symptoms appear or are severe.			
Storage	:	Store in an appropriate location.			
Disposal	:	Dispose of contents and container in accordance	with all local, regional, national	and	international regulations.
Supplemental label ele	mei	nts : No additional information.			

Other hazards which do not result in : None known. classification



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture	:	Mixture

Ingredient name	CAS number	% (w/w)
organic acid	-	≥10 - <25
Date of decision: 27/7/2017		
Registry number: 9485		
2-(2-butoxyethoxy)ethanol	112-34-5	5 - 10
Citric acid	77-92-9	1 - 5
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5
Lauryldimethylamine oxide	1643-20-5	1 - 5

Occupational exposure limits, if available, are listed in Section 8.

	4. FIRST AID MEASURES			
Description of requir	red first aid measures			
Eye contact	In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get medical attention. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.			
Skin contact	Wash contaminated skin with soap and water. Remove contaminated clothing and wash it before reuse. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.			
Ingestion	Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly by a physician. Get medical attention if symptoms occur.			
Inhalation	Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.			
Most important symp	toms/effects, acute and delayed			
Eye contact	Adverse symptoms may include the following: pain watering redness			
Skin contact	Adverse symptoms may include the following: pain or irritation redness blistering may occur			
Ingestion	Adverse symptoms may include the following: stomach pains			
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing			
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
See toxicological information (Section 11)				

5. FIRE-FIGHTING MEASURES			
Extinguishing media			
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition	products Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides		
	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.		
Special protective equipment for f fighters	ire- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.		



6. ACCIDENTAL RELEASE MEASURES

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
Personal protection	Put on appropriate personal protective equipment (see Section 8).
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rises for final clean-up

7. HANDLING AND STORAGE

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.

Storage and Incompatibility

Handling

Store in accordance with local regulations. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits			
Ingredient name		Exposure limits	
2-(2-butoxyethoxy)ethanol		ACGIH TLV (United States, 4/2014). TWA: 10 ppm 8 hours. Form: Inhalable fraction and vapor	
		enerate dust, fumes, gas, vapor or mist, use process enclosures, local exha rker exposure to airborne contaminants below any recommended or statuto	
Individual protection measures			
		e exposures might required to wear a face shield or chemical splash goggle while using or handling this product.	es. It is minimally suggested to
Hands and Body protection It is suggested to v		ear chemical-reisitant gloves while using or handling this product.	
Respiratory protection No specific protective equipment required under normal use conditions.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.	рН	0.5	Flash point	[Product does not sustain combustion.]
Color	Blue. [Light]	Relative density	1.05	Melting point	Not available.
Odor	Acid	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point :	Not available.
Solubility in water :	Not available.	Vapor density :	Not available.	Evaporation rate :	Not available.
Decomposition temperat	ture : Not available		Auto-ignition temperature	: Not available.	
Partition coefficient: n-octanol/ : Not available. Flammability (solid, gas) water				: Not available.	
Lower and upper explosive (flammable) limits : Not available.					

10. STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.	
Chemical stability	The product is stable.	
Incompatible materials	Reactive or incompatible with alkali.	
Conditions to avoid No specific data.		
Possibility of hazardous rea	actions May cause an exothermic reaction in presence of alkali.	



11. TOXICOLOGICAL INFORMATION

Route of exposure	Routes of entry anticipated: Dermal. Routes of entry not anticipated: Oral, Inhalation.	
	Potential acute health effects	Symptoms
Eye contact	May cause eye burn	Adverse symptoms may include the following: pain watering redness
Skin contact	May cause skin burns	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	Corrosive to the digestive tract. Causes burns. May cause burns to mouth, throat and stomach.	Adverse symptoms may include the following: stomach pains
Inhalation	Inhalation of vapors or mist may cause respiratory tract irritation.	Adverse symptoms may include the following: respiratory tract irritation coughing

Toxicity data

roduct/ingredient name	Result	Species	Dose	Exposure	
rganic acid	LD50 Oral	Rat	1000 mg/kg	-	
-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2700 mg/kg	-	
	LD50 Oral	Rat	3660 mg/kg	-	
itric acid	LD50 Dermal	Rat	2000 mg/kg	-	
	LD50 Oral	Mouse	5040 mg/kg	-	
	LD50 Oral	Rat	3 g/kg	-	
	LD50 Oral	Rat	11700 mg/kg	-	
lcohols, C9-11, ethoxylated	LD50 Oral	Rat	1200 mg/kg	-	
	LD50 Oral	Rat	1400 mg/kg	-	
auryldimethylamine oxide	LD50 Oral	Mouse	2700 mg/kg	-	
nformation on toxicological effects	i		•	-	
Autagenicity No	known significant effe	cts or critical k	azards		

Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Sensitization	Not available.
Carcinogenicity	No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

Product/ingredient name	Result	Species	Exposure
2-(2-butoxyethoxy)ethanol	Acute LC50 1300000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
Citric acid	Acute LC50 160000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 440 mg/l	Fish	96 hours
Alcohols, C9-11, ethoxylated	Acute EC50 5.36 to 6.25 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 7 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 8500 to 12000 µg/l Fresh water	Fish - Pimephales promelas	96 hours



13. DISPOSAL CONSIDERATIONS								
Disposal methods	sposal methods Dispose content and container in accordance with local, regional and national regulation in force.							
		14. TRANSPOF	RT INFORMATION					
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard			
TDG Classification	1760	Corrosive liquid, n.o.s. (organic acid)	8	Ш	1			
Product classified as per	the following section	ns of the Transportation of Dangerous	Goods Regulations: 2.40-2.42	2 (Class 8).				
Additional See shipping documents for specific information on DOT, IMDG or IATA information								
		15. REGULATO	RY INFORMATION					
<u>Canadian lists</u>								
Canadian NPRI	łT	he following components are listed: Di	iethylene glycol butyl ether					

CEPA Toxic substances None of the components are listed.

Canada inventory All components are listed or exempted.

International lists

United States Not determined.

16. OTHER INFORMATION						
Hazardous Material Information System (U.S.A.)	Health Hazard Fire Hazard Reactivity Personal Protection	2 0 0 B				
Date of issue/Date of revision (YYYY-MM- : 201 DD) Prepared by : Regulatory Affairs Department	6-09-19					
Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3						

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes

any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

