

# SAFETY DATA SHEET

Revision Date 10-Feb-2015

**Revision Number** 1

	1. Identification						
Product Name	Ethyl 4-aminobenzoate						
Cat No. :	AC150780000; AC150780025; AC150780050; AC150781000; AC150785000						
Synonyms	Benzocaine; 4-Aminobenzoic acid ethyl ester						
Recommended Use Laboratory chemicals.							
Uses advised against Details of the supplier of the safety	No Information available <b>y data sheet</b>						
<b>Company</b> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410	Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 /					

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization

Category 2 Category 2 Category 1 Europe:001-703-527-3887

## Label Elements

Signal Word Warning

### **Hazard Statements**

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



**Precautionary Statements** 

### Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

### Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients								
Component		CAS-No	Weight %					
Benzoic acid, 4-amino-, ethy	lester	94-09-7	>95					
	4.	First-aid measures						
General Advice	If symptoms p attendance.	persist, call a physician. Show this	safety data sheet to the doctor in					
Eye Contact	Obtain medic remove any c	al attention. Immediately flush with	der the eyelids, for at least 15 minutes. n plenty of water. After initial flushing, ng for at least 15 minutes. Keep eye wide hysician.					
Skin Contact	Call a physici IMMEDIATEL physician. Wa	Obtain medical attention. Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately. SPEEDY ACTION IS CRITICAL, GET MEDICAL AID IMMEDIATELY. If symptoms persist, call a physician. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.						
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.							
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician.							
Most important symptoms/effects	<b>btoms/effects</b> None reasonably foreseeable. May cause allergic skin reaction Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing							
Notes to Physician	Treat sympto							
	5. Fir	re-fighting measures						
Suitable Extinguishing Media		ray, alcohol-resistant foam, dry cho	emical or carbon dioxide.					
Unsuitable Extinguishing Media	No informatio	n available						
Flash Point Method -	> 100 °C / No informatio							

Autoignition Temperature Explosion Limits	>450 °C / >842 °F
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### Hazardous Combustion Products

Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA Instability Health Flammability **Physical hazards** 2 N/A 0 0 Accidental release measures **Personal Precautions** Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. **Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information. Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Up 7. Handling and storage Handling Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Pay attention to flashback. No information available. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep containers Storage tightly closed in a cool, well-ventilated place. Keep in properly labeled containers. 8. Exposure controls / personal protection This product does not contain any hazardous materials with occupational exposure limits **Exposure Guidelines** established by the region specific regulatory bodies. **Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. **Personal Protective Equipment** Tightly fitting safety goggles. **Eve/face Protection** Skin and body protection Long sleeved clothing. Impervious gloves. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. When using, do not **Hygiene Measures**

eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and	chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	89 - 92 °C / 192.2 - 197.6 °F
Boiling Point/Range	172 °C / 341.6 °F @ 17 hPa
Flash Point	> 100 °C / > 212 °F
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Relative Density	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	>450 °C / >842 °F
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	C9 H11 N O2
Molecular Weight	165.19

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation.				
Incompatible Materials	Acids, Bases, Reducing agents				
Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)					
Hazardous Polymerization	Hazardous polymerization does not occur.				
Hazardous Reactions	None under normal processing.				

## 11. Toxicological information

## Acute Toxicity

## Product Information

Component Information								
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation					
Benzoic acid, 4-amino-, ethyl ester	3042 mg/kg (Rat)	Not listed	Not listed					
Toxicologically Synergistic	No information available							
Products								
Delayed and immediate effects	as well as chronic effects fron	n short and long-term exposu	<u>re</u>					
Irritation	No information available	No information available						
No information evallable								
Sensitization	No information available							
Carcinogenicity	The table below indicates	whather each agency has listed	any ingredient as a carcinogen.					
Carcinogenicity	The table below indicates	whether each agency has listed	any ingredient as a carcinogen.					

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
Benzoic acid, 4-amino-, ethyl ester	94-09-7	Not listed	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects		No information available							
Reproductive Effects         No information available.									
Developmental Effe	cts	No information ava	No information available.						
Teratogenicity		No information available.							
STOT - single expos STOT - repeated exp		None known None known							
Aspiration hazard		No information available							
Symptoms / effects delayed Endocrine Disrupto		of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing							
Other Adverse Effect	cts	The toxicological properties have not been fully investigated. See actual entry in RTECS f complete information.							

## 12. Ecological information

### Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Component	Fleshwaler Alyae	Fleshwaler Fish	INICIOLOX	Walei Fied
Benzoic acid, 4-amino-, ethyl Not listed		7.48 - 11.3 mg/L LC50 96 h	Not listed	Not listed
ester		24.9 - 26.9 mg/L LC50 96 h		
		34.6 - 36.1 mg/L LC50 96 h		
		5.92 - 9.76 mg/L LC50 96 h		
		17.9 - 20.1 mg/L LC50 96 h		
Persistence and Degrada	bility No information	on available		•
	and a state of			

Bioaccumulation/ Accumulation

No information available.

Mobility

No information available.

Component	log Pow
Benzoic acid, 4-amino-, ethyl ester	1.92

## 13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information						
DOT	Not regulated						
DOT TDG IATA	Not regulated						
IATA	Not regulated						
IMDG/IMO	Not regulated						
	15. Regulatory information						

#### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Benzoic acid, 4-amino-, ethyl	Х	Х	-	202-303-5	-		Х	Х	Х	Х	Х

ester						
Logondi						

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations								
TSCA 12(b)	Not applicable							
SARA 313	Not applicable							
SARA 311/312 Hazardous Categori Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Ha Reactive Hazard		Yes Yes No No No						
Clean Water Act	Not applicable							
Clean Air Act	Not applicable							
<b>OSHA</b> Occupational Safety and Health Administration Not applicable								
<b>CERCLA</b> Not applicable								
California Proposition 65	This product does not co	ontain any Proposition 65 chemicals						
State Right-to-Know	Not applicable							
U.S. Department of Transportation								
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N							
U.S. Department of Homeland Security This product does not contain any DHS chemicals.								
Other International Regulations								
Mexico - Grade	Slight risk, Grade 1							
Canada This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR								

WHMIS Hazard Class

D2B Toxic materials



16. Other information

**Regulatory Affairs** 

Thermo Fisher Scientific

Prepared By

Revision Date Print Date Revision Summary Email: EMSDS.RA@thermofisher.com 10-Feb-2015 10-Feb-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

## **End of SDS**