# SAFETY DATA SHEET

Version 5.2 Revision Date 01/20/2015 Print Date 10/07/2017

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name 1-Naphthol

Product Number N1000

Brand Sigma-Aldrich

Product Use For laboratory research purposes.

Sigma-Aldrich Canada Co. Sigma-Aldrich Corporation Supplier Manufactur :

> 3050 Spruce St. 2149 Winston Park Drive er

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

**CANADA USA** 

Telephone +1 9058299500 Fax +1 9058299292

Emergency Phone # (For

**Preparation Information** 

both supplier and manufacturer)

Product Safety - Americas Region

: +1-703-527-3887 (CHEMTREC)

Sigma-Aldrich Corporation

1-800-521-8956

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

#### **Target Organs**

Eyes, Liver, Kidney, Blood

# **WHMIS Classification**

D<sub>1</sub>B Toxic Material Causing Immediate and Serious Toxic by skin absorption

**Toxic Effects** 

D2B Toxic Material Causing Other Toxic Effects Moderate respiratory irritant

Moderate eve irritant Corrosive Material Corrosive to skin

# **GHS Classification**

Pictogram

Signal word

Acute toxicity, Oral (Category 4) Acute toxicity, Dermal (Category 3) Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 1)

Specific target organ toxicity - single exposure (Category 3), Respiratory system

Acute aquatic toxicity (Category 2) Chronic aquatic toxicity (Category 2)

# GHS Label elements, including precautionary statements

Danger

Hazard statement(s)

Harmful if swallowed. H302 H311 Toxic in contact with skin. H315 Causes skin irritation.

H318 Causes serious eye damage.

Sigma-Aldrich - N1000 Page 1 of 7 H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261

P264 Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product. P270 P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/ face protection. Wear protective gloves/ protective clothing. P280

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER or doctor/ physician if

you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if P310

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/ physician.

If skin irritation occurs: Get medical advice/ attention. P332 + P313

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

**HMIS Classification** 

Health hazard: 3 Chronic Health Hazard: Flammability: 1 Physical hazards: 0

#### **Potential Health Effects**

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Skin Toxic if absorbed through skin. May cause skin irritation.

May cause eye irritation. **Eyes** Ingestion Harmful if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : 1-Hydroxynaphthalene

α-Naphthol

Formula  $C_{10}H_8O$ Molecular weight : 144.17 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
1-Naphthol			
90-15-3	201-969-4	604-029-00-5	<=100%

# 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Sigma-Aldrich - N1000 Page 2 of 7

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIREFIGHTING MEASURES

# Conditions of flammability

Not flammable or combustible.

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

# Explosion data - sensitivity to mechanical impact

No data available

# Explosion data - sensitivity to static discharge

No data available

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

# Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive. Store under inert gas. Air sensitive. Air and light sensitive.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Sigma-Aldrich - N1000 Page 3 of 7

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm

Break through time: 30 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Appearance

Form solid

Colour No data available

Safety data

pH No data available

Melting point/range: 94 - 96 °C (201 - 205 °F) - lit.

point/freezing point

Boiling point 278 - 280 °C (532 - 536 °F) - lit. Flash point 125 °C (257 °F) - closed cup

Ignition temperature 542 °C (1,008 °F) Auto-ignition No data available

temperature

Lower explosion limit 0.8 %(V) Upper explosion limit 5 %(V)

Vapour pressure 2.3 hPa (1.7 mmHg) at 100 °C (212 °F)

Density No data available
Water solubility No data available
Partition coefficient: log Pow: 2.85

n-octanol/water

Relative vapour

No data available

density

Odour No data available
Odour Threshold No data available
Evaporation rate No data available

# 10. STABILITY AND REACTIVITY

Sigma-Aldrich - N1000 Page 4 of 7

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

No data available

#### Conditions to avoid

No data available

#### Materials to avoid

Strong oxidizing agents, Strong bases

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

#### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

#### Oral LD50

LD50 Oral - Rat - 1,870 mg/kg

#### **Inhalation LC50**

No data available

#### **Dermal LD50**

LD50 Dermal - Rabbit - 880 mg/kg

Remarks: Liver:Other changes. Kidney, Ureter, Bladder:Other changes. Blood:Changes in spleen.

#### Other information on acute toxicity

No data available

#### Skin corrosion/irritation

Skin - Rabbit - Severe skin irritation - 24 h

# Serious eye damage/eye irritation

Eyes - Rabbit - Severe eye irritation

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

Genotoxicity in vitro - Histidine reversion (Ames)

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

#### Reproductive toxicity

Reproductive toxicity - Mouse - Subcutaneous

Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

No data available

# **Teratogenicity**

No data available

#### Specific target organ toxicity - single exposure (Globally Harmonized System)

Inhalation - May cause respiratory irritation.

Sigma-Aldrich - N1000 Page 5 of 7

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

# **Aspiration hazard**

No data available

#### Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Toxic if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

# Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# Synergistic effects

No data available

# **Additional Information**

RTECS: QL2800000

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 4.1 - 4.7 mg/l - 96 h

#### Persistence and degradability

No data available

# **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

# PBT and vPvB assessment

No data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solids, organic, n.o.s. (1-Naphthol)

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

#### **IMDG**

UN number: 2811 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (1-Naphthol)

Marine pollutant: No

Sigma-Aldrich - N1000 Page 6 of 7

**IATA** 

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, organic, n.o.s. (1-Naphthol)

# 15. REGULATORY INFORMATION

#### **WHMIS Classification**

D1B Toxic Material Causing Immediate and Serious Toxic by skin absorption

**Toxic Effects** 

D2B Toxic Material Causing Other Toxic Effects Moderate respiratory irritant

E Corrosive Material Moderate eye irritant

Corrosive to skin

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

# **16. OTHER INFORMATION**

# Text of H-code(s) and R-phrase(s) mentioned in Section 3

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - N1000 Page 7 of 7