

## **SAFETY DATA SHEET**

Creation Date 11-February-2010 Revision Date 18-January-2018 Revision Number 3

1. Identification

Product Name Sodium hydroxide

Cat No.: \$320-1, \$320-3, \$320-10, \$320-50, \$320-500, \$612-3; \$612-50;

S612-500LB; S612-3500LB;

**CAS-No** 1310-73-2

Synonyms Caustic soda; Lye (Pellets/Granular/Beads/NF/FCC/EP/BP/JP/Certified ACS)

**Recommended Use** Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor
Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Corrosive to metalsCategory 1Skin Corrosion/irritationCategory 1 ASerious Eye Damage/Eye IrritationCategory 1Specific target organ toxicity (single exposure)Category 3

Target Organs - Respiratory system.

Label Elements

**Signal Word** 

Danger

**Hazard Statements** 

May be corrosive to metals Causes severe skin burns and eye damage

May cause respiratory irritation



## **Precautionary Statements**

#### Prevention

Keep only in original container

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium hydroxide	1310-73-2	> 95
Sodium carbonate	497-19-8	< 3

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects 
Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to

the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

Revision Date 18-January-2018

### Sodium hydroxide

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Carbon dioxide (CO2) Unsuitable Extinguishing Media

**Flash Point** Not applicable

No information available Method -

**Autoignition Temperature** 

No information available

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available **Sensitivity to Static Discharge** No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Water reactive. Corrosive Material. Causes severe burns by all exposure routes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2) Sodium oxides

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards		
3	0	1	N/A		

### 6. Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to **Personal Precautions** 

safe areas. Keep people away from and upwind of spill/leak. Avoid dust formation. Do not

get in eyes, on skin, or on clothing.

Should not be released into the environment. See Section 12 for additional ecological **Environmental Precautions** 

information.

Methods for Containment and Clean Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for Up

disposal.

# 7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust

formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### 8. Exposure controls / personal protection

### **Exposure Guidelines**

ſ	Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
L	-		Columbia					
ſ	Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	CEV: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	(Vacated)	IDLH: 10 mg/m <sup>3</sup>
-							Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
							TWA: 2 mg/m <sup>3</sup>	

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that evewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eve Protection** 

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
	recommendations		

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability. Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

## 9. Physical and chemical properties

Solid **Physical State** White **Appearance** Odor Odorless

**Odor Threshold** No information available

pН 14 (5%)

318 °C / 604.4 °F Melting Point/Range

**Boiling Point/Range** 1390 °C / 2534 °F @ 760 mmHg

**Flash Point** Not applicable

**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability or explosive limits

Upper No data available No data available Lower 1 mmHg @ 739 °C **Vapor Pressure Vapor Density** No information available 2.13

**Specific Gravity** 

Solubility Soluble in water Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

Revision Date 18-January-2018

Sodium hydroxide

Viscosity No information available

Molecular FormulaNaOHMolecular Weight40

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Water reactive. Hygroscopic.

**Conditions to Avoid**Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Water, Metals, Acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	Not listed	LD50 = 1350 mg/kg ( Rabbit )	Not listed
Sodium carbonate	2800 mg/kg (Rat)	> 2000 mg/kg (rabbit)	2.3 mg/l 2h (Rat)

Toxicologically Synergistic

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	Not listed				
Sodium carbonate	497-19-8	Not listed				

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive EffectsNo information available.Developmental EffectsNo information available.TeratogenicityNo information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

·

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

Revision Date 18-January-2018

## 12. Ecological information

#### Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hydroxide	-	LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)	-	-
Sodium carbonate	EC50: = 242 mg/L, 120h (Nitzschia)	Lepomis macrochirus: LC50: 300 mg/L/96h Gambusia affinis: LC50: 740 mg/L/96h		EC50: = 265 mg/L, 48h (Daphnia magna)

Persistence and Degradability

No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

## 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1823

Proper Shipping Name Sodium hydroxide, solid

Hazard Class 8
Packing Group ||

**TDG** 

**UN-No** UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group ||

<u>IATA</u>

UN-No UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group ||

IMDG/IMO

**UN-No** UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group

## 15. Regulatory information

#### International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium hydroxide	Х	-	Х	215-185-5	-		Х	Х	Х	Х	Х
Sodium carbonate	X	-	X	207-838-8	_		X	Х	Х	Х	X

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 11-February-2010 Revision Date 18-January-2018 Print Date 18-January-2018

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**