Hydrochloric Acid ACS Safety Data Sheet acording to the Hazardous Products Regulation (Februa Division date: 27/09/20

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 08/29/2016 Revision date: 27/09/2018 Supersedes: 27/09/2018 Version: 2.0

	te of issue: 08/29/2016 Revision date: 27/09/2018 Supersedes: 27/09/2018 Version: 2.0 , 351280212, 351280500, 3512824, 351283500, 351285212
SECTION 1 : Identification 1.1. Product identifier	
Product form	: Substance
Trade name	: Hydrochloric Acid ACS
Type of product	: Solution
CAS No	: 7647-01-0
Product code	: 5100
Formula	: HCI
I.2. Recommended use and restric	
Recommended uses and restrictions	: Industrial uses: Uses of substances as such or in preparations* at industrial sites
1.3. Supplier	
Regent Chemical Products Ltd.	Distributed by:
600 Avenue Delmar	
H9R 4A8 Pointe Claire	( <b>†</b> ) <b>tisher</b> scientific
T 514-630-3309 - F 514-630-5951	part of Thermo Fisher Scientific
nfo@regentchem.com - http://www.regento	Chem.com/ 112 Colonnade Road, Ottawa ON, K2E 7L6 1-800-234-7437
1.4. Emergency telephone number	
Emergency number	: Terrapure environmental: 1-800-567-7455(24/24)
SECTION 2: Hazards identification	
2.1. Classification of the substance	or mixture
Classification (GHS-CA)	
Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Categor	y 1 H318
Specific target organ toxicity — Single expo	osure, Category 3, Respiratory tract irritation H335
Full text of H statements : see section 16	
2.2. GHS Label elements, including	precautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
	P.S.
	GHS06 GHS05
	GHS06 GHS05
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	: H314 - Causes severe skin burns and eye damage
	H318 - Causes serious eye damage
	H335 - May cause respiratory irritation
Precautionary statements (GHS-CA)	: P260 - Do not breathe gas/mist/vapours/spray
	P264 - Wash hands, forearms and face thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area
	P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing
	P310 - Immediately call a POISON CENTER or doctor P312 - Call a POISON CENTER or doctor if you feel unwell
	P321 - Specific treatment (Treat symptomatically)
	P363 - Wash contaminated clothing before reuse
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed
	P405 - Store locked up
	P501 - Dispose of contents / container to a hazardous or special waste collection point in



accordance with municipal, provincial and federal regulations.

2.3.	Other	hazard	S

### No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

### **SECTION 3: Composition/information on ingredients**

3.1. Substances				
Name	Chemical name/Synonyms	Product identifier	%wt/wt	Classification (GHS-CA)
hydrogen chloride, aqueous solution (Main constituent)	Hydrochloric acid, hydrogen chloride, muriatic acid	(CAS No) 7647-01-0	36-38	Acute Tox. 3 (Dermal), H335 Skin Corr. 1A, H314 Eye Dam. 1, H318

### Full text of H-statements: see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash immediately with PE-glycol 400. Wash immediately with lots of water (15 minutes)/shower. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. If burned surface > 10%: take victim to hospital.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Immediately consult a doctor/medical service. Call Poison Information Centre. Take the container/vomit to the doctor/hospital. Do not give chemical antidote. Ingestion of large quantities: immediately to hospital.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/injuries after inhalation	: Dry/sore throat. Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. EXPOSURE TO HIGH CONCENTRATIONS: Respiratory difficulties. Possible laryngeal spasm/oedema. Corrosion of the upper respiratory tract. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of pneumonia. Risk of lung oedema.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Corrosion of the eye tissue. Permanent eye damage.
Symptoms/injuries after ingestion	: Burns to the gastric/intestinal mucosa. Blood in vomit. Possible esophageal perforation. Shock.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

<b>SECTION 5: Fire-fighting measures</b>	
5.1. Suitable extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Unsuitable extinguishing media	
Unsuitable extinguishing media	: No unsuitable extinguishing media known.
5.3. Specific hazards arising from the h	azardous product
Fire hazard	: DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".
5.4. Special protective equipment and	recautions for fire-fighters
Firefighting instructions	: Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.
Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: seal off low-lying areas. Exposure to fire/heat: have neighbourhood close doors and windows.



### **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures No additional information available 6.2. Methods and materials for containment and cleaning up For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the liquid spill. Hazardous reaction: measure explosive gas-air mixture. If reacting: dilute combustible/toxic gases/vapours. Take account of toxic/corrosive precipitation water. Heat exposure: dilute toxic gas/vapour with water spray. : Liquid spill: neutralize with soda (sodium carbonate). Neutralized substance: take up in Methods for cleaning up absorbent material. Scoop absorbed substance into closing containers. Damaged/cooled tanks must be emptied. Carefully collect the spill/leftovers. Take collected spill to manufacturer/competent authority. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

<b>SECTION 7: Handling and storag</b>	o
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Remove contaminated clothing immediately. Clear contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.
Hygiene measures	: Remove contaminated clothes. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Store in a dry place.
Incompatible products	: Oxidizing agent.
Incompatible materials	: Heat sources. combustible materials. Sources of ignition.
Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources.
Storage temperature	: 2 - 25 °C
Storage area	: Ventilation at floor level. Keep locked up. Provide for a tub to collect spills. Meet the lega requirements.
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) bases. metals. amines.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. corrosion-proof. clean. correctly labelled. meet the lega requirements. Secure fragile packagings in solid containers.
Packaging materials	: MATERIAL TO AVOID: steel. metal.

<b>SECTION 8: Expo</b>	sure controls/personal protection		
8.1. Control para	meters		
Hydrochloric acid (7	647-01-0)		
USA - ACGIH	ACGIH Ceiling (ppm)	2 ppm	
USA - ACGIH	Remark (ACGIH)	URT irr	
USA - OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m³	
USA - OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm	
8.2. Appropriate	engineering controls		
No additional information	n available		
8.3. Individual protection measures/Personal protective equipment			

Personal protective equipment	: EN 379 - eye protection.
Materials for protective clothing	: GIVE GOOD RESISTANCE: natural rubber. nitrile rubber.
Hand protection	: Gloves.
Eye protection	: Face shield.
Skin and body protection	: Corrosion-proof clothing.
Respiratory protection	: Gas mask with filter type B. Gas mask with filter type E. High vapour/gas concentration: self- contained respirator.

<b>SECTION 9: Physical and c</b>	chemical properties		
9.1. Information on basic ph	ysical and chemical properties		
Physical state	: Liquid		
Appearance	: Liquid.		
27/09/2018	EN (English)	ID SDS: SDS-R-EN-5100	3/7



Molecular mass	: 36.46 g/mol
Colour	: Colourless.
Odour	: Irritating/pungent odour.
Odour threshold	: 5 ppm 7.5 mg/m³
рН	: <1
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: -30 °C
Boiling point	: 51 °C
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 150 - 160 mm Hg
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.2
Relative density of saturated gas/air mixture	: No data available
Density	: 1190 kg/m³
Relative gas density	: No data available
Solubility	: Soluble in water. Water: Complete
Log Pow	: 0.25 (QSAR)
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.0023 Pa.s (15 °C)
Viscosity, kinematic (calculated value) (40 °C)	: 1.93277311 mm²/s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available
9.2. Other information	
Minimum ignition energy	: Not applicable
VOC content	: 0%

: Gas/vapour heavier than air at 20°C. Producing fumes/mist. Substance has acid reaction.

<b>SECTION 10: Stability and reactive</b>	ity
10.1. Reactivity	
Reactivity	: Decomposes on exposure to temperature rise: release of (highly) toxic gases/vapours (chlorine). Reacts violently with (some) bases: release of heat. Reacts with (strong) oxidizers: release of (highly) toxic gases/vapours (chlorine). Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: Avoid heat and direct sunlight
Incompatible materials	: Highly reactive with water, strong bases, metals, metal oxides, hydroxides, amines, carbonates and other alkaline materials. Incompatible with cyanides, sulfides, sulfites and formaldehyde. Explosion risk during reactions with metals (hydrogen release).

SECTION 11: Toxicological information			
11.1. Information on toxicolog	ical effects		
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		

Other properties



Acute toxicity (inhalation)	: Not classified
Hydrochloric acid (7647-01-0)	
LD50 dermal rabbit	900 mg/kg
Skin corrosion/irritation	: Not classified pH: < 1
Serious eye damage/irritation	: Not classified pH: < 1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
IARC group	: 3 - Not classifiable3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Hydrochloric acid (7647-01-0)	
Viscosity, kinematic (calculated value) (40 °C)	1.93277311 mm²/s

### **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Mild water pollutant (surface water). Ground water pollutant. Maximum concentration in drinking water: 250 mg/l (chloride) (Directive 98/83/EC). Slightly harmful to fishes. Toxic to plankton. pH shift.
Hydrochloric acid (7647-01-0)	

Hydrochioric acid (7647-01-0)		
LC50 fish 1	282 mg/l (LC50; 96 h)	
EC50 Daphnia 1	< 56 mg/l (EC50; 72 h)	

12.2. Persistence and degradability	
Hydrochloric acid (7647-01-0)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
Hydrochloric acid (7647-01-0)	
Log Pow	0.25 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
Hydrochloric acid (7647-01-0)	
Log Pow	0.25 (QSAR)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

### 12.5. Other adverse effects

No additional information available



SECTION 13: Disposal consideration	ations
13.1. Disposal methods	
Waste disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Dehydrate/make insoluble. Immobilize the toxic or harmful components. Remove to an authorized dump (Class I). Treat using the best available techniques before discharge into drains or the aquatic environment.
Additional information	: Dispose of contents / container to a hazardous or special waste collection point in accordance with municipal, provincial and federal regulations.

14.1. Basic shipping description	
<b>3</b>	
In accordance with TDG TDG	
	: 1789
UN-No. (TDG)	: II - Medium Danger
Packing group TDG Primary Hazard Classes	: 8 - Class 8 - Corrosives
Transport document description	
• •	: HYDROCHLORIC ACID, 1789, 8, II
Hazard labels (TDG)	: 8 - Corrosive substances
	the second se
Explosive Limit and Limited Quantity Index	: 1L
Passenger Carrying Road Vehicle or Passenger	
Carrying Railway Vehicle Index	
14.2. Transport information/DOT	
DOT	
UN-No.(DOT)	: 1789
Packing group (DOT)	: II - Medium Danger
Class (DOT)	: 8 - Class 8 - Corrosive material
Transport document description	: HYDROCHLORIC ACID, 1789, 8, II
Dangerous for the environment	: No
Other information	: No supplementary information available.
14.3. Air and sea transport	
IMDG	
UN-No. (IMDG)	: 1789
Transport document description	: HYDROCHLORIC ACID, 1789, 8, II
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting Medium Danger
ΙΑΤΑ	
UN-No. (IATA)	: 1789
Class (IATA)	: 8 - Corrosive substances
Packing group (IATA)	: II - substances presenting Medium Danger
Transport document description	: HYDROCHLORIC ACID, 1789, 8, II

No additional information available



Hydrochloric acid (7647-01-0)		
Listed on the United States TSC	CA (Toxic Substances Control Act) inventory	
SECTION 16: Other infor	mation	
	N 1	
SDS Major/Minor	: None	
,	: None : 29/08/2016	
SDS Major/Minor Date of issue Revision date		

### REGENT-GHS-SDS

IMPORTANT: The information presented herein is believed to be accurate and is offered only as a guide. Users should make their own tests to determine the suitability of these products for their own particular purposes. Users assume all risk of use, storage and handling of the product. No warranty, express or implied, is made including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. Nothing contained herein shall be construed as a license to operate under, or recommendation to infringe any patents