

# SAFETY DATA SHEET

Creation Date 27-January-2010	0 Revision D	ate 17-January-2018	Revision Number
	1. Id	entification	
Product Name	Methylene chlo	ride	
Cat No. :	•	S-19; D142RS-28; D142RS-5 142SS-28; D142SS-50; D142	•
CAS-No Synonyms	75-09-2 Dichloromethane; De	СМ	
Recommended Use Uses advised against	Laboratory chemical Not for food, drug, p	s. esticide or biocidal product use	
Details of the supplier of the s	safety data sheet		
Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437		Fair Lawr	
CHEMTREC®, Inside the USA:	800-424-9300		
CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA	800-424-9300 A: 001-703-527-3887	(s) identification	
CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA Classification	800-424-9300 A: 001-703-527-3887 2. Hazard	(s) identification	Regulations (SOR/2015-17)
CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Skin Corrosion/irritation Serious Eye Damage/Eye Irrita Carcinogenicity Specific target organ toxicity (	800-424-9300 A: 001-703-527-3887 Classified as hazard ation (single exposure)	· ·	Regulations (SOR/2015-17)
CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Skin Corrosion/irritation Serious Eye Damage/Eye Irrita Carcinogenicity Specific target organ toxicity ( Target Organs - Central nervou Specific target organ toxicity -	800-424-9300 A: 001-703-527-3887 Classified as hazard ation (single exposure) us system (CNS). - (repeated exposure)	ous under the Hazardous Products Category 2 Category 2 Category 1B	Regulations (SOR/2015-17)
CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Serious Eye Damage/Eye Irrita Carcinogenicity Specific target organ toxicity ( Target Organs - Central nervou Specific target organ toxicity - Target Organs - Liver, Kidney, F	800-424-9300 A: 001-703-527-3887 Classified as hazard ation (single exposure) us system (CNS). - (repeated exposure)	ous under the Hazardous Products Category 2 Category 2 Category 1B Category 3	Regulations (SOR/2015-17)
Emergency Telephone Numbe CHEMTREC®, Inside the USA: CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Skin Corrosion/irritation Serious Eye Damage/Eye Irrita Carcinogenicity Specific target organ toxicity ( Target Organs - Central nervou Specific target organ toxicity - Target Organs - Liver, Kidney, I Label Elements Signal Word Danger	800-424-9300 A: 001-703-527-3887 Classified as hazard ation (single exposure) us system (CNS). - (repeated exposure)	ous under the Hazardous Products Category 2 Category 2 Category 1B Category 3	Regulations (SOR/2015-17)

May cause damage to organs through prolonged or repeated exposure



# Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

### Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Methylene chloride	75-09-2	>99.5

4. First-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms/effects	None reasonably foreseeable. Inhalation of high vapor concentrations may cause	
Notes to Physician	symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically	
	5. Fire-fighting measures	
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature	556 °C / 1032.8 °F
Explosion Limits	
Upper	23 vol %
Lower	13 vol %
Sensitivity to Mechanical Impact	t No information available
Sensitivity to Static Discharge	No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Hydrogen chloride gas Phosgene **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 1	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions Environmental Precautions	Use personal protective equestion of the section of	uipment. Ensure adequate vent the environment.	ilation.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

### 7. Handling and storage

Handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methylene chloride	TWA: 50 ppm TWA: 174 mg/m <sup>3</sup>	TWA: 25 ppm	TWA: 50 ppm	TWA: 50 ppm TWA: 174 mg/m <sup>3</sup>	TWA: 50 ppm	(Vacated) TWA: 500 ppm (Vacated) STEL: 2000 ppm (Vacated) Ceiling: 1000 ppm TWA: 25 ppm STEL: 125 ppm	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye Protection Hand Protection	Goggles Wear appropriate protectiv	e gloves and clothing to prever	t skin exposure.
Glove material	Breakthrough time	Glove thickness	Glove comments
Viton (R)	See manufacturers	-	Splash protection only

recommendations Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

9. Physical a	nd chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	No information available
pH	No information available
Melting Point/Range	-97 °C / -142.6 °F
Boiling Point/Range	39 °C / 102.2 °F
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	23 vol %
Lower	13 vol %
Vapor Pressure	350 mbar @ 20°C
Vapor Density	2.93 (Air = 1.0)
Specific Gravity	1.33
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	556 °C / 1032.8 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C H2 Cl2

### **Molecular Weight**

### 84.93

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents, Strong acids, Amines
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen chloride gas, Phosgene
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L ( Rat ) 6 h
-			76000 mg/m3 (Rat) 4 h
Foxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	as well as chronic effects from	short and long-term exposu	е

### Irritation

Irritating to eyes and skin

### Sensitization

No information available

# Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Methylene chloride	75-09-2	Group 2A	Reasonably Anticipated	A3	Х	A3
IARC: (International Agency for Research on Cancer) NTP: (National Toxicity Program)			Group 1 - C Group 2A - Group 2B - NTP: (Natic Known - Kn Reasonably	IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human		
Hygienists)	Carcinogen GIH: (American Conference of Governmental Industrial A1 - Known Human Carcinogen					
Mutagenic Effects		Mutagenic effects			Caromogon	
Reproductive Effect	S	No information ava	ailable.			
Developmental Effe	cts	No information ava	ailable.			

Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Central nervous system (CNS) Liver Kidney Blood
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methylene chloride	EC50:>660 mg/L/96h	Pimephales promelas:	EC50: 1 mg/L/24 h	EC50: 140 mg/L/48h
-	-	LC50:193 mg/L/96h	EC50: 2.88 mg/L/15 min	_
Persistence and Degrada	ability Persistence i	s unlikely based on inform	ation available.	

**Bioaccumulation/Accumulation** 

No information available.

### Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow	
Methylene chloride	1.25	

### 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Methylene chloride - 75-09-2	U080	-		

## 14. Transport information

DOT	
UN-No	UN1593
Proper Shipping Name	DICHLOROMETHANE
Hazard Class	6.1
Packing Group	III
TDG	
UN-No	UN1593
Proper Shipping Name	DICHLOROMETHANE
Hazard Class	6.1
Packing Group	111
IATA	
UN-No	UN1593
Proper Shipping Name	Dichloromethane
Hazard Class	6.1
Packing Group	111
IMDG/IMO	
UN-No	UN1593
Proper Shipping Name	Dichloromethane
Hazard Class	6.1

### Packing Group

### 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

Ш

#### International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Methylene chloride	Х	-	Х	200-838-9	-		Х	Х	Х	Х	Х

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Methylene chloride	Part 1, Group A Substance	Schedule I	

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	27-January-2010 17-January-2018 17-January-2018 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**