SAFETY DATA SHEET

Version 4.3 Revision Date 07/24/2015 Print Date 04/24/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : L-Serine

Product Number S2600 Brand Aldrich

Product Use For laboratory research purposes.

Sigma-Aldrich Canada Co. Sigma-Aldrich Corporation Supplier Manufactur

> 2149 Winston Park Drive 3050 Spruce St. er

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

Telephone +1 9058299500 Fax +1 9058299292

Emergency Phone # (For

both supplier and manufacturer)

+1-703-527-3887 (CHEMTREC)

Sigma-Aldrich Corporation Product Safety - Americas Region

1-800-521-8956

CANADA

2. HAZARDS IDENTIFICATION

Emergency Overview

Preparation Information

WHMIS Classification

Not Rated

Not a hazardous substance or mixture.

HMIS Classification

Health hazard: 0 Flammability: 0 Physical hazards: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. May be harmful if absorbed through skin. May cause skin irritation. Skin

Eyes May cause eye irritation. Ingestion May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

: (S)-2-Amino-3-hydroxypropionic acid **Synonyms**

Formula C₃H₇NO₃ C₃H₇NO₃

: 105.09 g/mol Molecular weight

CAS-No.	EC-No.	Index-No.	Concentration
L-Serine			
56-45-1	200-274-3	-	<=100%

4. FIRST AID MEASURES

Aldrich - S2600 Page 1 of 6

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Explosion data - sensitivity to mechanical impact

No data available

Explosion data - sensitivity to static discharge

No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid dust formation. Avoid breathing vapours, mist or gas.

Environmental precautions

No special environmental precautions required.

Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Aldrich - S2600 Page 2 of 6

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

General industrial hygiene practice.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder Colour white

Safety data

pΗ No data available

Meltina

Melting point/range: 222 °C (432 °F) - dec.

point/freezing point

Boiling point No data available Flash point No data available No data available Ignition temperature Auto-ignition No data available

temperature

No data available Lower explosion limit Upper explosion limit No data available Vapour pressure No data available

Density 1.6 g/cm3 at 22 °C (72 °F)

Water solubility 359.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - completely soluble

Partition coefficient: n-octanol/water

log Pow: -3.069 at 20 °C (68 °F)

Relative vapour

No data available

density

Odour odourless

Odour Threshold No data available Evaporation rate No data available

Aldrich - S2600 Page 3 of 6

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - Rat - male and female - 14,000 mg/kg

Inhalation LC50

No data available

Dermal LD50

No data available

Other information on acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Genotoxicity in vitro - reverse mutation assay - Salmonella typhimurium - negative

Genotoxicity in vivo - Mouse - negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

No data available

Teratogenicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

Aldrich - S2600 Page 4 of 6

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - No observed adverse effect level - 3,000 mg/kg

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

No data available

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - > 83 mg/l - 48 h

and other aquatic Method: OECD Test Guideline 202

invertebrates

Toxicity to algae static test NOEC - Pseudokirchneriella subcapitata (green algae) - 1,000 mg/l - 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Biodegradability aerobic

Result: 81 % - Readily biodegradable Method: OECD Test Guideline 301

Bioaccumulative potential

No data available

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

Aldrich - S2600 Page 5 of 6

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

WHMIS Classification

Not Rated

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - S2600 Page 6 of 6