

# SAFETY DATA SHEET

Creation Date 16-June-2009

Revision Date 14-January-2019

Revision Number 6

1. Identification

# Product Name Sodium hydroxide

## Cat No. :

AC424330000; AC424330010; AC424330025; AC424330100; AC424330250; AC424330251; AC424335000

CAS-No Synonyms 1310-73-2 Caustic soda

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use

Acros Organics

One Reagent Lane

Fair Lawn, NJ 07410

## Details of the supplier of the safety data sheet

#### <u>Company</u>

Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Category 1 Category 1 A

Category 1 Category 3

### **Classification**

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Manufacturer

**Fisher Scientific** 

One Reagent Lane

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Corrosive to metals Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system.

Label Elements

Signal Word Danger

Hazard Statements May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



#### **Precautionary Statements** Prevention

Keep only in original container Do not breathe dust/fumes/gas/mist/vapours/spray Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

# Storage

# Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

# Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Compor	nent	CAS-No	Weight %				
Sodium hyd	droxide	1310-73-2	100				
	4.	First-aid measures					
General Advice Immediate medical attention is required. Show this safety data sheet to the doctor i attendance.							
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.					
Skin Contact		Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.					
Inhalation	victim ingest mask equipp	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or Poison Control Center immediately.					
Ingestion		Do not induce vomiting. Immediate medical attention is required. Never give anything by mouth to an unconscious person. Drink plenty of water.					

<b>Most important symptoms/effects</b> Lavage or emesis is contraindicated. Possible perforation of be investigated: Ingestion causes severe swelling, severe da						stomach or eso	phagus should		
Notes to Physician		and danger of perforation Treat symptomatically							
		5. Fir	e-fighting	measure	S				
Suitable Extinguishin	ng Media		<u> </u>	alcohol-resistar					
Unsuitable Extinguis	hing Media	Do not use a s	solid water strea	am as it may sca	atter and spread	l fire			
Flash Point Method -			No information available No information available						
Autoignition Temper Explosion Limits Upper Lower Sensitivity to Mee Sensitivity to Sta	chanical Impac	No data available No data available t No information available No information available							
Specific Hazards Aria The product causes be			membranes.						
Hazardous Combust Sodium oxides Hydrog Protective Equipmen As in any fire, wear se protective gear. Therm	gen I <b>t and Precautic</b> If-contained brea	athing apparatu	s pressure-dem			or equivalent) a	and full		
NFPA									
Health 3		Flammabil 0	ity	Instabi 1	lity	Physical N/			
		6. Accid	ental rele	ase meas	ures				
Personal Precaution	s	Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with							
<b>Environmental Precautions</b> skin, eyes and clothing. Do not allow material to contaminate group environment. Do not flush into surface wat additional ecological information.				surface water					
Methods for Contain Up	Methods for Containment and Clean Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container disposal.						e container for		
		7. Ha	andling ar	nd storage	è				
Handling	HandlingWear personal protective equipment. Use only under a chemical fume hood. Do not get eyes, on skin, or on clothing. Do not breathe dust. Do not ingest.						. Do not get in		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.						sives area.		
	8. E>	kposure c	ontrols / p	personal p	protection	1			
Exposure Guidelines									
Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH		
		Columbia Ceiling: 2 mg/m³ DLH: 10 mg/m³							
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>		CEV: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	<sup>1</sup> IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Glove material	Breakthrough time	Glove thickness	Glove co
Eye Protection Hand Protection	Goggles Wear appropriate protectiv	re gloves and clothing to prevent	skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Neoprene	> 480 minutes	As tested under EN374-3	
Butyl rubber	> 480 minutes	0.35 mm	Determination of Resistance to
			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

Prevent product from entering drains.

# Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

	9. Physical and chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	14 (5 %)
Melting Point/Range	318 °C / 604.4 °F
Boiling Point/Range	1390 °C / 2534 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	Not flammable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	1 mbar @ 700 °C
Vapor Density	Not applicable

Specific Gravity Bulk Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight No information available 2.13 g/cm3 Soluble in water No data available

No information available Not applicable H Na O 40

# 10. Stability and reactivity

Reactive Hazard	Yes		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat.		
Incompatible Materials	Strong oxidizing agents, Acids, Metals, Water		
Hazardous Decomposition Products Sodium oxides, Hydrogen			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

# 11. Toxicological information

# Acute Toxicity

# Product Information

<b>Component Informa</b>	ation								
Componer	nt	LD50 Oral		LD50 Dermal	LC50	Inhalation			
Sodium hydro	Sodium hydroxide 140 - 340 mg/kg (Rat ) 1350 mg/kg (Rabbit ) Not listed				ot listed				
Toxicologically Syn Products	•	No information availab							
Delayed and immed	liate effects	as well as chronic effects	from short an	a long-term expo	<u>sure</u>				
Irritation		Causes severe burns	by all exposure	e routes					
Sensitization		No information availab	ble						
Carcinogenicity		The table below indica	ates whether ea	ach agency has list	ed any ingredient	as a carcinogen.			
Component	CAS-N	o IARC	NTP	ACGIH	OSHA	Mexico			
Sodium hydroxide	1310-73	-2 Not listed	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects		No information availab	ble						
Reproductive Effect	ts	No information availab	ble.						
Developmental Effe	Developmental Effects		No information available.						
Teratogenicity		No information availab	ole.						
STOT - single exposureRespiratory systemSTOT - repeated exposureNone known									
Aspiration hazard		No information availab	ble						

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed	Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

# 12. Ecological information

# Ecotoxicity

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Sodium hydroxide	Not listed	LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)	Not listed	Not listed		
Persistence and Degradability Soluble in water Persistence is unlikely based on information available.						
Bioaccumulation/ Accumu	ioaccumulation/ Accumulation No information available.					
Mobility	Will likely be mobile in the environment due to its water solubility.					
13. Disposal considerations						
Vaste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				local, regional, and		

14. Transport information

DOT	
UN-No	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II
IATA	
UN-No	UN1823
Proper Shipping Name	Sodium hydroxide, solid
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN1823
Proper Shipping Name	Sodium hydroxide, solid
Hazard Class	8
Packing Group	ll
	15. Regulatory information
	io. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium hydroxide	Х	-	Х	215-185-5	-		Х	Х	Х	Х	Х

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

	1/ Other information
	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	16-June-2009
Revision Date	14-January-2019
Print Date	14-January-2019
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**