

# **SAFETY DATA SHEET**

Creation Date 28-January-2010 Revision Date 18-January-2018 Revision Number 4

1. Identification

Product Name Buffer Solution, pH 4.00, Color-Coded Red

Cat No.: SB101-4, SB101-20, SB101-500

Synonyms (Certified)

Recommended Use Laboratory chemicals.

Uses advised against

Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Not classified under the Hazardous Products Regulations (SOR/2015-17)

Based on available data, the classification criteria are not met

Label Elements

None required

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	98.91
1,2-Benzenedicarboxylic acid, monopotassium salt	877-24-7	1.0
Formaldehyde	50-00-0	0.05
Methyl alcohol	67-56-1	0.02
Fluorescein, 2',4',5',7'-tetraiodo, disodium salt	16423-68-0	0.02

### 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Do not induce vomiting. Obtain medical attention. Ingestion

Most important symptoms/effects

None reasonably foreseeable.

**Notes to Physician** 

Treat symptomatically

### 5. Fire-fighting measures

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** Not applicable

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
1	0	0	N/A

### Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, **Personal Precautions** 

eves and clothing.

Should not be released into the environment. See Section 12 for additional ecological **Environmental Precautions** 

information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
		Columbia		4			
Formaldehyde	Ceiling: 1 ppm	TWA: 0.3 ppm	STEL: 1 ppm	Ceiling: 2 ppm	TWA: 0.1 ppm	(Vacated) TWA:	IDLH: 20 ppm
	Ceiling: 1.3	Ceiling: 1 ppm	CEV: 1.5 ppm	Ceiling: 3 mg/m <sup>3</sup>	STEL: 0.3 ppm	3 ppm	TWA: 0.016 ppm
	mg/m³					(Vacated) STEL:	Ceiling: 0.1 ppm
	TWA: 0.75 ppm					10 ppm	
	TWA: 0.9 mg/m <sup>3</sup>					(Vacated)	
						Ceiling: 5 ppm	
						TWA: 0.75 ppm	
						STEL: 2 ppm	
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	(Vacated) TWA:	IDLH: 6000 ppm
	TWA: 262	STEL: 250 ppm	STEL: 250 ppm	TWA: 262	STEL: 250 ppm	200 ppm	TWA: 200 ppm
	mg/m³	Skin	Skin	mg/m³	Skin	(Vacated) TWA:	
	STEL: 250 ppm			STEL: 250 ppm		260 mg/m <sup>3</sup>	mg/m³
	STEL: 328			STEL: 328		(Vacated) STEL:	STEL: 250 ppm
	mg/m³			mg/m³		250 ppm	STEL: 325
	Skin			Skin		(Vacated) STEL:	mg/m³
						325 mg/m <sup>3</sup>	
						Skin	
						TWA: 200 ppm	
						TWA: 260	
						mg/m³	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
	recommendations		

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceRedOdorOdorless

Odor Threshold No information available

**pH** 4.0

Melting Point/Range0 °C / 32 °FBoiling Point/Range100 °C / 212 °FFlash PointNot applicableEvaporation Rate1.0 (ether = 1)

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor Density0.7 (Water = 1.0)

Specific Gravity 1.0

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Soluble in water

No data available

No information available

No information available

Decomposition TemperatureNo information availableViscosityNo information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Excess heat.

Incompatible Materials None known

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information No acute toxicity information is available for this product Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
1,2-Benzenedicarboxylic acid, monopotassium salt	LD50 > 3200 mg/kg (Rat)	Not listed	Not listed
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat)4 h

Methyl alcohol	Calc. ATE 60 mg/kg LD50 > 1187 – 2769 mg/kg ( Rat )	<b>Calc. ATE 60 mg/kg</b> LD50 = 17100 mg/kg ( Rabbit )	Calc. ATE 0.6 mg/L (vapours) or 0.5 mg/L (mists) LC50 = 128.2 mg/L ( Rat ) 4 h
Fluorescein, 2',4',5',7'-tetraiodo, disodium salt	LD50 = 1840 mg/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
1,2-Benzenedicarboxyl ic acid, monopotassium salt	877-24-7	Not listed				
Formaldehyde	50-00-0	Group 1	Known	A1	Х	A2
Methyl alcohol	67-56-1	Not listed				
Fluorescein, 2',4',5',7'-tetraiodo, disodium salt	16423-68-0	Not listed				

IARC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

A1 - Known Human Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

# 12. Ecological information

**Ecotoxicity** 

Component Freshwater Algae Freshwater Fish Microtox Water Flea

Formaldehyde	Not listed	Leuciscus idus: LC50 = 15 mg/L 96h	Not listed	EC50 = 20 mg/L 96h EC50 = 2 mg/L 48h
Methyl alcohol	Not listed	Pimephales promelas: LC50	ı	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	

Persistence and Degradability No information available

**Bioaccumulation/ Accumulation** No information available.

Mobility .

Component	log Pow
Formaldehyde	-0.35
Methyl alcohol	-0.74

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Formaldehyde - 50-00-0	U122	-		
Methyl alcohol - 67-56-1	U154	-		

# 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

### **International Inventories**

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	-	Х	231-791-2	-		Χ	-	Х	Х	Х
1,2-Benzenedicarboxylic acid, monopotassium salt	Х	-	Х	212-889-4	-		Х	Х	Х	Х	Х
Formaldehyde	Х	-	Х	200-001-8	-		Χ	Χ	Х	Х	Х
Methyl alcohol	Х	-	Х	200-659-6	-		Х	Х	Х	Х	Х
Fluorescein, 2',4',5',7'-tetraiodo, disodium salt	Х	-	Х	240-474-8	-		Х	Х	Х	Х	Х

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Formaldehyde	Part 1, Group A Substance Part 5, Individual Substances	Schedule I	
Methyl alcohol	Part 1, Group A Substance Part 5, Individual Substances		

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date28-January-2010Revision Date18-January-2018Print Date18-January-2018

**Revision Summary** This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**