

SAFETY DATA SHEET

Creation Date 21-January-2011

Revision Date 22-May-2018

Revision Number 6

1. Identification

Product Name Potassium cyanide

Cat No. : AC388310000; AC388310025; AC388310100; AC388311000; AC388315000

CAS-No 151-50-8

Synonyms Cyanide of potassium; Hydrocyanic acid, potassium salt; KCN.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor
Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Manufacturer

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Corrosive to metals	Category 1
Acute oral toxicity	Category 1
Acute dermal toxicity	Category 1
Acute Inhalation Toxicity	Category 1
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Heart, Cardiovascular system.	
Health Hazards Not Otherwise Classified	Category 1
Contact with acids liberates very toxic gas	

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals

Fatal if swallowed, in contact with skin or if inhaled

Causes damage to organs through prolonged or repeated exposure

Contact with acids liberates very toxic gas



Precautionary Statements

Prevention

Take any precaution to avoid mixing with acids
Do not breathe dust/fumes/gas/mist/vapours/spray
Wear respiratory protection
Keep only in original container
Do not get in eyes, on skin, or on clothing
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTER/doctor
IF ON SKIN: Wash with plenty of soap and water
Rinse mouth
Take off immediately all contaminated clothing
Wash contaminated clothing before reuse
Absorb spillage to prevent material damage

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store in corrosive resistant polypropylene container with a resistant liner
Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Potassium cyanide	151-50-8	>95

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation	Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	. Systemic Toxicity: Respiratory disorders: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood): Exposure may result in death
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry powder.
Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature	Not applicable
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Non-combustible. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Potassium oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
4

Flammability
0

Instability
1

Physical hazards
N/A

6. Accidental release measures

Personal Precautions	Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.
Methods for Containment and Clean Up	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage

Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Avoid dust formation. Use only under a chemical fume hood. Do not breathe vapors/dust. Do not ingest.
Storage	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep

locked-up. Keep away from acids. Keep away from combustible material. Do not store in aluminum containers.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium cyanide	Ceiling: 5 mg/m ³ Skin	Ceiling: 5 mg/m ³ Skin	CEV: 5 mg/m ³ Skin	Ceiling: 10 ppm Ceiling: 11 mg/m ³ Skin	Ceiling: 5 mg/m ³ Skin	(Vacated) TWA: 5 mg/m ³	IDLH: 25 mg/m ³ Ceiling: 4.7 ppm Ceiling: 5 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	> 480 minutes	0.35 mm	As tested under EN374-3 Determination of Resistance to Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Recommended Filter type: Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

Physical State

Powder Solid

Appearance

White

Odor	bitter almond
Odor Threshold	No information available
pH	11-12 20 g/l aq.sol.(20°C)
Melting Point/Range	634 °C / 1173.2 °F
Boiling Point/Range	1625 °C / 2957 °F
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	1.52 @ 16°C
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	Not applicable
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	C K N
Molecular Weight	65.12

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Moisture sensitive.
Conditions to Avoid	Excess heat. Burning produces obnoxious and toxic fumes. Incompatible products. Exposure to light. Exposure to moist air or water. Exposure to air.
Incompatible Materials	Acids, Strong oxidizing agents, Bases, Powdered metal salts, Aldehydes, Peroxides, Metals
Hazardous Decomposition Products	Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Potassium oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium cyanide	LD50 = 7.49 mg/kg (Rat) LD50 = 5 mg/kg (Rat)	LD50 = 22.3 mg/kg (Rabbit)	LC50 = 0.16 mg/L (Rat) 1 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Irritating to eyes, respiratory system and skin
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium cyanide	151-50-8	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure	None known
STOT - repeated exposure	Heart Cardiovascular system
Aspiration hazard	No information available
Symptoms / effects, both acute and delayed	Systemic Toxicity: Respiratory disorders: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood): Exposure may result in death
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium cyanide	Not listed	LC50: 0.31 - 0.37 mg/L, 96h static (Pimephales promelas) LC50: 0.45 - 0.57 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 0.45 mg/L, 96h (Lepomis macrochirus) LC50: 0.01 - 0.08 mg/L, 96h static (Lepomis macrochirus) LC50: 0.044 - 0.084 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.0588 mg/L, 96h flow-through (Poecilia reticulata) LC50: 0.04 - 0.046 mg/L, 96h flow-through (Oncorhynchus mykiss)	Not listed	EC50: = 0.53 mg/L, 24h (Daphnia magna)

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Potassium cyanide - 151-50-8	-	not otherwise specified

14. Transport information

DOT

UN-No UN1680
 Proper Shipping Name POTASSIUM CYANIDE, SOLID
 Hazard Class 6.1
 Packing Group I

TDG

UN-No UN1680
 Proper Shipping Name POTASSIUM CYANIDE, SOLID
 Hazard Class 6.1
 Packing Group I

IATA

UN-No UN1680
 Proper Shipping Name POTASSIUM CYANIDE, SOLID
 Hazard Class 6.1
 Packing Group I

IMDG/IMO

UN-No UN1680
 Proper Shipping Name POTASSIUM CYANIDE, SOLID
 Hazard Class 6.1
 Subsidiary Hazard Class P
 Packing Group I

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Potassium cyanide	X	-	X	205-792-3	-		X	X	X	X	X

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

16. Other information

Prepared By Regulatory Affairs
 Thermo Fisher Scientific
 Email: EMSDS.RA@thermofisher.com

Creation Date 21-January-2011
Revision Date 22-May-2018
Print Date 22-May-2018
Revision Summary This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS