

SAFETY DATA SHEET

Creation Date 23-January-2009 Revision Date 17-January-2018 Revision Number 5

1. Identification

Product Name Dimethyl sulfoxide

Cat No.: BP231-1; BP231-4; BP231-100; D128-1; D128-4; D128-500;

D128-500LC; D128-POP19; D128-POP50; D128-POP200;

D128-POPB200; D136-1; D137-1; D137RS-19; D137RS-200; D159-4;

BP2620-100; S67496

CAS-No 67-68-5

Synonyms Methyl sulfoxide; DMSO (HPLC/Spectranalyzed/Certified ACS)

Recommended Use Laboratory chemicals.

Uses advised against

Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 4

Label Elements

Signal Word

Warning

Hazard Statements

Combustible liquid

Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Response

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

DMSO readily penetrates skin and may carry other dissolved chemicals into the body

3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Dimethyl sulfoxide	67-68-5	>95	

4. First-aid measures

General Advice If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur. If not breathing,

give artificial respiration.

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms/effects Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available

Flash Point 87 °C / 188.6 °F

Method - No information available

Autoignition Temperature 301 °C / 573.8 °F

Explosion Limits

 Upper
 42 vol %

 Lower
 2.6 vol %

Sensitivity to Mechanical Impact No information available **Sensitivity to Static Discharge** No information available

Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Revision Date 17-January-2018

Carbon monoxide (CO) Carbon dioxide (CO2) Sulfur oxides Sulfides Formaldehyde

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Handling

Health	Flammability	Instability	Physical hazards
2 *	2	1	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Take precautionary

measures against static discharges. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional ecological information.

Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, **Up** closed containers for disposal.

/. Ha	ndling and storage	
Wear personal	protective equipment. Ensure adequate ventilation. Keep away from ope	en

flames, hot surfaces and sources of ignition. Avoid contact with skin, eyes and clothing.

Avoid ingestion and inhalation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

	Glove material	Breakthrough time	Glove thickness	Glove comments
	Neoprene	> 480 minutes	0.45 mm	As tested under EN374-3
1				Determination of Resistance to
L				Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particle filter

Environmental exposure controls

Prevent product from entering drains.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorOdorless

Odor Threshold
pHNo information available
No information availableMelting Point/Range18.4 °C / 65.1 °FBoiling Point/Range189 °C / 372.2 °FFlash Point87 °C / 188.6 °FEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 42 vol %

 Lower
 2.6 vol %

Vapor Pressure 0.55 mbar @ 20°C

Vapor Density 2.7 Specific Gravity 1.100

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature301 °C / 573.8 °F

Decomposition Temperature > 190°C

Viscosity 1.98 mPa.s @ 25°C

Molecular FormulaC2 H6 O SMolecular Weight78.13

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water. Keep away from open

flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Alkali metals

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂), Sulfur oxides, Sulfides, Formaldehyde

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Thermal decomposition can take place above 189°C / 372°F.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethyl sulfoxide	LD50 = 28300 mg/kg (Rat) LD50 = 14500 mg/kg (Rat)	LD50 = 40 g/kg(Rat)	LC50 > 5.33 mg/L (Rat) 4 h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethyl sulfoxide	67-68-5	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

uelayeu

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethyl sulfoxide	EC50 96h 12350 - 25500	40 g/L LC50 96 h	= 16000 mg/L EC50	EC50 24h 7000 mg/L
•	mg/L	33-37 g/L LC50 96 h	Pseudomonas putida 16 h	_
		_	= 32 g/L EC50 Tetrahymena	
			pyriformis 24 h	
			= 77 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min	

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow	
Dimethyl sulfoxide	-2.03	

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT TDG IATA	Not regulated		
TDG	Not regulated		
<u>IATA</u>	Not regulated		
IMDG/IMO	Not regulated		
	15. Regulatory information		

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Dimethyl sulfoxide	Х	-	Х	200-664-3	-		Х	Х	Х	Х	Х

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

	44 011 1 5 11		
	16. Other information		
Prepared By	Regulatory Affairs		
	Thermo Fisher Scientific		
	Email: EMSDS.RA@thermofisher.com		
Creation Date	23-January-2009		
Revision Date 17-January-2018			
Print Date 17-January-2018			
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS