

Safety Data Sheet

Methyl Alcohol

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Methyl Alcohol

Synonyms/Generic Names: Methanol

SDS Number: 453.00

Product Use: For Educational Use Only

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information Contact: Ward's Science

5100 West Henrietta Rd. PO Box 92912-9012 Rochester, NY 14692

(800) 962-2660 (Monday-Friday 7:30-7:00 Eastern Time)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Target organ effect, Toxic by ingestion, Toxic by skin absorption, Irritant

Target Organs: Eyes, Skin, Respiratory system, Central nervous system, Gastrointestinal tract, Kidney,

Liver, Heart

Signal Words: Danger

Pictograms:







GHS Classification:

Flammable liquids	Category 2	
Skin irritation	Category 2	
Eye irritation	Category 2A	
Specific target organ	toxicity – single exposure Category 1	

GHS Label Elements, including precautionary statements:

Hazard Statements:

riazara Otato	nazara otatements.		
H225	Highly flammable liquid and vapor		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H370	Causes damage to organs		

Revised on 01/31/2013 Page 1 of 6

Precautionary Statements:

P210	Keep away from heat/sparks/open flames/hot surfaces- No smoking		
P260	Do not breathe dust/fumes/gas/mist/vapors/spray		
P280	Wear protective gloves/protective clothing		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do so. Continue rinsing		
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician		

Potential Health Effects

Eyes	Causes irritation.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation
Skin	Toxic if absorbed through skin. Causes skin irritation.
Ingestion	Toxic if swallowed.

Health	1	
Flammability	3	
Reactivity	0	
Specific hazard	Not Available	

NFPA Ratings HMIS Ratings

Health	2
Fire	3
Reactivity	0
Personal	Н

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Methyl Alcohol	>99	67-56-1	200-659-6	CH₃OH	32.04 g/mol

4. FIRST- AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention.

5. FIREFIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable liquid. Use carbon dioxide, alcohol-type foam or dry chemical. Containers may explode in a fire. Cool containers from a distance using water spray.	
Special protective equipment and precautions for firefighters		
Specific hazards arising from the chemical	Containers may rupture in the heat of the fire. Do not use direct stream, as it may spread the fire. Emits toxic fumes (carbon oxides) under fire conditions. Vapors may collect in low areas. (See also Stability and Reactivity section.)	

Revised on 01/31/2013 Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions Prevent spillage from entering drains. Any release to the environmental precautions	
10 4 1 1 4 1 1 6	may be subject to a federal/national or local reporting requirements.
Methods and materials for	Absorb spill with noncombustible absorbent material, then place in a
containment and cleaning up	suitable container for disposal. Clean surfaces thoroughly with water to
	remove residual contamination. Dispose of all waste and cleanup
	materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area in tightly-closed, plainly-labeled containers. Do not store with acids, acid chlorides, acid anhydrides, oxidizing agents, alkali metals, reducing agents. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers

Component	Exposure Limits	Basis	Entity
Methyl Alcohol	200 ppm 262 mg/m ³	TLV	ACGIH
	250 ppm 328 mg/m ³	STEL	ACGIH
	200 ppm 260 mg/m ³	PEL	OSHA
	200 ppm 260 mg/m ³	REL	NIOSH
	250 ppm 325 mg/m ³	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Revised on 01/31/2013 Page 3 of 6

Personal Protection

Eyes	Wear chemical safety glasses with face shield.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, apron or lab coat.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Mild alcohol
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	-98°C (-144°F)
Initial boiling point and boiling range	65°C (143°F)
Flash point	12°C (54°F) Closed cup
Evaporation rate	2.0
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	LFL: 6.0% UFL:36.0%
Vapor pressure	(@ 20°C) 96 mmHg
Vapor density	(air=1) 1.11
Relative density	(@25°C) .9560 g/cm ³
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Low Pow: -0.77
Auto-ignition temperature	455°C (725°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable	
Possibility of Hazardous Reactions	Will not occur.	
Conditions to Avoid	Keep away from heat, flame and sparks.	
Incompatible Materials	Do not store with strong oxidizing agents, strong acids, peroxides,	
	aldehydes, halogens, ammonia, acid anhydrides or alkali metals.	
Hazardous Decomposition Products	Carbon oxides.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	LD50 Dermal- rabbit- 15,800 mg/kg
Eyes	Eyes- rabbit- Eye irritation- 24 hour
Respiratory	LC ₅₀ rat- 85 mg/L, 4 hours
	LC ₅₀ rat- 64000 ppm, 4 hours
Ingestion	LD ₅₀ rat- 5,628 mg/kg

Revised on 01/31/2013 Page 4 of 6

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Burning, itching, redness may be harmful if absorbed through skin.
Eyes	Causes irritation. Redness, excessive blinking and watering eyes.
Respiratory	Coughing, wheezing, headache, disorientation, blurred vision, dizziness, fatigue or nausea.
Ingestion	Nausea, vomiting, may cause blindness and central nervous system depression.

Chronic Toxicity	Ingestion may cause blindness	
Teratogenicity	Not Available	
Mutagenicity	Not Available	
Embryotoxicity	Pre-and Post- implant mortality	
Specific Target Organ Toxicity	Single exposure- Causes damage to organs	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Locioxidity		
Aquatic Vertebrate	Do not release directly into surface water	
	LC ₅₀ = 15,400 mg/L, 96 hours (Lepomis Macrochirus)	
	LC50- Oncorhynchus mykiss (rainbow trout)- 19,000 mg/l- 96 h	
	LC50- Cyprinus carpio (Carp)- 36,000.00 mg/l- 48 h	
Aquatic Invertebrate	EC50- Daphnia magna (Water flea)- 24,500.00 mg/l- 48 h	
	EC100- Daphnia magna (Water flea)- 10,000.00 mg/l- 24 h	
Terrestrial	Not Available	

Persistence and Degradability	Not Available
Bioaccumulative Potential	BCF of 1
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

Revised on 01/31/2013 Page 5 of 6

14. TRANSPORTATION INFORMATION

US DOT	UN1230, Methanol, 3, pg II
TDG	UN1230, METHANOL, 3, pg II
IMDG	UN1230, METHANOL, 3, pg II
Marine Pollutant	No
IATA/ICAO	UN1230, Methanol, 3 pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Listed: Methanol
SARA 304	Listed: Methanol
SARA 311	Methanol
SARA 312	Methanol
SARA 313	Listed: Methanol
WHMIS Canada	Class B2: Flammable liquids
	Class D1B: Toxic Material Causing Immediate and Serious Toxic Effects
	Class D2A: Very Toxic Material Causing Other Toxic Effects
	Class D2B: Toxic Material Causing Other Toxic Effects

16. OTHER INFORMATION

Revision	Date
Revision 1	01/31/2013

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 01/31/2013 Page 6 of 6