

SAFETY DATA SHEET

Creation Date 26-September-2009

Revision Date 01-February-2019

Revision Number 4

1. Identification

Product Name 2-Chlorobutane

Cat No. :

AC108830000; AC108830010; AC108830050; AC108832500

CAS-No Synonyms 78-86-4 sec-Butyl chloride

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437

Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Manufacturer Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids	Category 2	
Corrosive to metals	Category 1	
	Odlogoly	

Label Elements

Signal Word Danger

Hazard Statements Highly flammable liquid and vapor May be corrosive to metals



Precautionary Statements Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Keep only in original container

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Absorb spillage to prevent material damage

Storage

Store in a well-ventilated place. Keep cool

Store in corrosive resistant polypropylene container with a resistant inliner

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients CAS-No Weight % Component Butane, 2-chloro-78-86-4 99 4. First-aid measures **General Advice** If symptoms persist, call a physician. **Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, **Skin Contact** call a physician. Move to fresh air. If not breathing, give artificial respiration. Get medical attention if Inhalation symptoms occur. Clean mouth with water and drink afterwards plenty of water. Ingestion Most important symptoms/effects No information available. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically Notes to Physician 5. Fire-fighting measures Suitable Extinguishing Media Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam. Cool closed containers

	exposed to fire with water spray.				
Unsuitable Extinguishing Media	No information available				
Flash Point	-15 °C / 5 °F				
Method -	No information available				
Autoignition Temperature	460 °C / 860 °F				
Explosion Limits					
Upper	8.8%				
Lower	1.7%				
Sensitivity to Mechanical Impact No information available					
Sensitivity to Static Discharge	No information available				

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Containers may explode when heated. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Hydrogen chloride gas Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health	Flammability 3	Instability	Physical hazards N/A
	0	5	0	
		6. Accidental re	lease measures	
Personal	Precautions		on. Use personal protective equination of the section of the secti	ipment. Remove all sources of harges.
Environn	nental Precautions			n into surface water or sanitary
Methods Up	for Containment and C	lean Keep in suitable, closed conception Remove all sources of ignitional sources of ignition Remove all sources of igniti	ontainers for disposal. Soak up ition. Use spark-proof tools and	
		7. Handling	and storage	
Handling		skin, or on clothing. Avoid surfaces and sources of ig	ingestion and inhalation. Keep nition. Use only non-sparking t all metal parts of the equipme	ools. To avoid ignition of vapors by
Storage			ed in a dry and well-ventilated	nes/hot surfaces No smoking. place. Keep away from heat and
	8.	Exposure controls	/ personal protecti	on
Exposure	e Guidelines		tain any hazardous materials w gion specific regulatory bodies.	

Engineering Measures

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Hand Protection		e eyeglasses or chemical safet ection regulations in 29 CFR 19	
Glove material	Breakthrough time	Glove thickness	Glove comments
Viton (R)	See manufacturers	-	Splash protection only

recommendations Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Environmental exposure controls

Prevent product from entering drains.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical a	and chemical properties
Physical State	Liquid
Appearance	Clear
Odor	Characteristic
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-140 °C / -220 °F
Boiling Point/Range	68 - 70 °C / 154.4 - 158 °F @ 760 mmHg
Flash Point	-15 °C / 5 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	8.8%
Lower	1.7%
Vapor Pressure	145 mbar @ 20 °C
Vapor Density	3.2 (Air = 1.0)
Specific Gravity	0.870
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	460 °C / 860 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C4 H9 Cl
Molecular Weight	92.57

10. Stability and reactivity

Reactive Hazard	None known, based on information available			
Stability	Stable under recommended storage conditions.			
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.			
Incompatible Materials	Strong oxidizing agents, Strong bases, Metals, copper, Strong acids			
Hazardous Decomposition Products Hydrogen chloride gas, Carbon monoxide (CO), Carbon dioxide (CO2)				
Hazardous Polymerization	No information available.			
Hazardous Reactions	None under normal processing.			

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	ation							
Component		LD50 Oral		LD50 Dermal		Inhalation		
Butane, 2-chlo	oro-	LD50 = 20 mL/kg(Ra	LD50 = 20 mL/kg (Rat) LD50 = 20 mL/kg (Rabb		No	t listed		
Toxicologically Syn Products	ergistic	No information ava	ilable					
Delayed and immed	liate effects a	as well as chronic effe	cts from short ar	d long-term expos	sure			
Irritation								
Sensitization		No information ava	ilable					
Carcinogenicity		The table below in	dicates whether e	ach agency has liste	ed any ingredient	as a carcinogen.		
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico		
Butane, 2-chloro-	78-86-4	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	ilable					
Reproductive Effect	ts	No information available.						
Developmental Effe	cts	No information available.						
Teratogenicity		No information ava	No information available.					
STOT - single expos STOT - repeated exp		None known None known						
Aspiration hazard		No information ava	No information available					
Symptoms / effects delayed	s,both acute		d Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting					
Endocrine Disrupto	r Informatio	n No information ava	No information available					
Other Adverse Effect	Adverse Effects The toxicological properties have not been fully investigated.							

12. Ecological information

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation / Accumulation No information available.	No information available.				
Mobility Will likely be mobile in the environment	Will likely be mobile in the environment due to its volatility.				
13. Disposal considera	ations				
hazardous waste. Chemical waste gen	nine whether a discarded chemical is classified as a erators must also consult local, regional, and ensure complete and accurate classification.				
14. Transport informa	ation				
DOT					
UN-No UN1127					
Proper Shipping Name CHLOROBUTANES					
Proper technical name 2-Chlorobutane					
Hazard Class 3					
Packing Group					
TDG					
UN-No UN1127					
Proper Shipping Name CHLOROBUTANES					
Hazard Class 3					
Packing Group					
UN-No UN1127					
Proper Shipping Name CHLOROBUTANES					
Hazard Class 3					
Packing Group					
UN-No UN1127					
Proper Shipping Name CHLOROBUTANES					
Hazard Class 3					
Packing Group					

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Butane, 2-chloro-	Х	-	Х	201-151-7	-		Х	Х	Х	Х	2014-3-6
											146

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	26-September-2009
Revision Date	01-February-2019
Print Date	01-February-2019
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS