SAFETY DATA SHEET FICHE SIGNALÉTIQUE

| ACCOUNT NO NOM DE COMPTE | DATE | PAGES | | |
|--|-------------|-------|--|--|
| 5916400 | 9 | | | |
| CATALOG NO. NO. DE CATALOGUE | DESCRIPTION | | | |
| SB101500 BUFFER COLRD RED PH 4.00 500ML | | | | |
| CUSTOMER ORDER NO. VOTRE NO. DE COMMANDE | | | | |
| CCRD 233952 | | | | |

NIPISSING UNIVERSITY 100 COLLEGE DRIVE NORTH BAY ON P1B 8L7 ATTN: SAFETY OFFICER

Fisher Scientific

Customer Service Centre / Service à la clientèle 112 Colonnade Road Ottawa, ON K2E 7L6

Website / Site internet : fishersci.ca Email / Courriel : help@thermofisher.com

Voice / Voix: 800-234-7437

Important Safety Information - DO NOT DISCARD. Renseignements importants pour la securite - NE PAS JETER.

For each chemical, a safety data sheet will be sent only on the first shipment unless there is a revision to the data sheet.

Une fiche signaletique de chaque produit chimique sera envoyee lors de la premiere livraison seulement sauf si elle a ete revisee. If name and/or address have changed contact your Fisher sales representative of your local Fisher branch.

En cas de changement de nom et/ou d'adresse, contracter votre representant des ventes Fisher, ou votre succursale locale Fisher.

Required safety data sheets not included in this mailing will follow under a separate cover.

Toutes fiches signaletiques demandees et non incluses dans cet envoi suivront sous pli separe.





SAFETY DATA SHEET

Creation Date 28-Jan-2010 Revision Date 24-Dec-2021 **Revision Number** 6

1. Identification

Product Name Buffer Solution, pH 4.00, Color-Coded Red

SB101-4, SB101-20, SB101-500 Cat No.:

Synonyms (Certified)

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|---|------------|----------|
| Water | 7732-18-5 | 98.91 |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | 877-24-7 | 1.0 |
| Formaldehyde | 50-00-0 | 0.05 |
| Methyl alcohol | 67-56-1 | 0.02 |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | 16423-68-0 | 0.02 |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. None reasonably foreseeable.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 1 | 0 | 0 | N/A |

6. Accidental release measures

Personal PrecautionsUse personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal.

Up

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. None known.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|----------------|---------------|---------------------------------------|-----------------------------|------------------|
| Formaldehyde | TWA: 0.1 ppm | (Vacated) TWA: 3 ppm | IDLH: 20 ppm | Ceiling: 0.3 ppm |
| | STEL: 0.3 ppm | (Vacated) STEL: 10 ppm | TWA: 0.016 ppm | |
| | | (Vacated) Ceiling: 5 ppm | Ceiling: 0.1 ppm | |
| | | TWA: 0.75 ppm | | |
| | | STEL: 2 ppm | | |
| Methyl alcohol | TWA: 200 ppm | (Vacated) TWA: 200 ppm | IDLH: 6000 ppm | TWA: 200 ppm |
| | STEL: 250 ppm | (Vacated) TWA: 260 mg/m ³ | TWA: 200 ppm | STEL: 250 ppm |
| | Skin | (Vacated) STEL: 250 ppm | TWA: 260 mg/m ³ | |
| | | (Vacated) STEL: 325 mg/m ³ | STEL: 250 ppm | |
| | | Skin | STEL: 325 mg/m ³ | |
| | | TWA: 200 ppm | | |
| | | TWA: 260 mg/m ³ | | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceRedOdorOdorless

Odor Threshold No information available

Melting Point/Range0 °C / 32 °FBoiling Point/Range100 °C / 212 °FFlash PointNot applicableEvaporation Rate1.0 (ether = 1)Flammability (solid,gas)Not applicable

Flammability or explosive limits

Upper No data available

LowerNo data availableVapor PressureNo information availableVapor Density0.7 (Water = 1.0)

Specific Gravity 1

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

Soluble in water
No data available
No information available
No information available
No information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Excess heat.

Incompatible Materials None known

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product InformationNo acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------------------|-------------------------------|-----------------------------|
| Water | - | - | ī |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | LD50 > 3200 mg/kg (Rat) | >1000 mg/kg | Not listed |
| Formaldehyde | 500 mg/kg (Rat) | LD50 = 270 mg/kg (Rabbit) | 0.578 mg/L (Rat) 4 h |
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg (Rabbit) | LC50 = 128.2 mg/L (Rat) 4 h |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | Not listed | LD50 > 2000 mg/kg (Rat) | Not listed |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed |
| 1,2-Benzenedicarboxyl ic acid, monopotassium salt | 877-24-7 | Not listed |
| Formaldehyde | 50-00-0 | Group 1 | Known | A1 | X | A2 |
| Methyl alcohol | 67-56-1 | Not listed |

NTP: (National Toxicity Program)

| Fluorescein, 2',4',5',7'-tetraiodo, | 16423-68-0 | Not listed |
|--|------------|------------|------------|------------|------------|------------|
| disodium salt | | | | | | |

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

Mutagenic Effects

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------|------------------|---------------------------|--------------------------|-----------------------|
| Formaldehyde | Not listed | Leuciscus idus: LC50 = 15 | Not listed | EC50 = 20 mg/L 96h |
| | | mg/L 96h | | EC50 = 2 mg/L 48h |
| Methyl alcohol | Not listed | Pimephales promelas: LC50 | EC50 = 39000 mg/L 25 min | EC50 > 10000 mg/L 24h |
| | | > 10000 mg/L 96h | EC50 = 40000 mg/L 15 min | |
| | | | EC50 = 43000 mg/L 5 min | |

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility

| Component | log Pow |
|----------------|---------|
| Formaldehyde | -0.35 |
| Methyl alcohol | -0.74 |

| 13. Disposal considerations |
|-----------------------------|
|-----------------------------|

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Formaldehyde - 50-00-0 | U122 | - |
| Methyl alcohol - 67-56-1 | U154 | - |

| 4 4 | T | | A 4 1 1 1 1 1 1 |
|-----|------------------|--------|-----------------|
| 14. | Transport | Intorn | nation |

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---|------------|------|---|-----------------------------|
| Water | 7732-18-5 | X | ACTIVE | - |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | 877-24-7 | Х | ACTIVE | - |
| Formaldehyde | 50-00-0 | Χ | ACTIVE | - |
| Methyl alcohol | 67-56-1 | X | ACTIVE | - |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | 16423-68-0 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---|------------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | Х | - | 231-791-2 | Χ | Х | | Х | Х | KE-35400 |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | 877-24-7 | Х | - | 212-889-4 | Х | Х | Х | Х | Х | KE-02310 |
| Formaldehyde | 50-00-0 | Х | - | 200-001-8 | Χ | Χ | Χ | Х | Х | KE-17074 |
| Methyl alcohol | 67-56-1 | Х | - | 200-659-6 | Χ | Χ | Χ | Χ | Χ | KE-23193 |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | 16423-68-0 | Х | - | 240-474-8 | X | Х | Х | Х | Х | KE-10872 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|----------------------------------|
| Formaldehyde | 50-00-0 | 0.05 | 0.1 |
| Methyl alcohol | 67-56-1 | 0.02 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Formaldehyde | X | 100 lb | - | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Formaldehyde | X | | - |
| Methyl alcohol | X | | - |

OSHA - Occupational Safety and

Health Administration

Not applicable

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|--------------|----------------------------------|----------------------------|
| Formaldehyde | 2 ppm STEL | TQ: 1000 lb |
| , | 0.5 ppm Action Level | |
| | 0.75 ppm TWA | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|----------------|--------------------------|----------------|--|
| Formaldehyde | 100 lb | 100 lb | |
| Methyl alcohol | 5000 lb | - | |

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component | CAS No | California Prop. 65 | Prop 65 NSRL | Category Carcinogen | |
|----------------|---------|----------------------|--------------|---------------------|--|
| Formaldehyde | 50-00-0 | Carc. (Gaseous only) | 40 μg/day | | |
| Methyl alcohol | 67-56-1 | Developmental | - | Developmental | |

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Formaldehyde | X | X | X | X | X |
| Methyl alcohol | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|--------------|---|
| Formaldehyde | Release STQs - 15000lb (solution) |

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

| Component | . , | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|--------------|-----|---|---|
| Formaldehyde | - | Use restricted. See item 72. (see link for restriction details) | - |

| | | Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. | |
|---|---|--|---|
| | | (see link for restriction details) | |
| Methyl alcohol | - | Use restricted. See item 69. (see link for restriction details) | - |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---|------------|----------------|---------------------------------|------------------------------|--|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | 877-24-7 | Not applicable | Not applicable | Not applicable | Not applicable |
| Formaldehyde | 50-00-0 | Listed | Not applicable | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | Listed | Not applicable | Not applicable | Not applicable |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | 16423-68-0 | Not applicable | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|------------|---|--|-------------------------------|---------------------------------------|
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| 1,2-Benzenedicarboxylic acid, monopotassium salt | 877-24-7 | Not applicable | Not applicable | Not applicable | Not applicable |
| Formaldehyde | 50-00-0 | 5 tonne | 50 tonne | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | 500 tonne | 5000 tonne | Not applicable | Not applicable |
| Fluorescein, 2',4',5',7'-tetraiodo, disodium salt | 16423-68-0 | Not applicable | Not applicable | Not applicable | Not applicable |

| 16. Other information | 1/ | O 1 1 | ' - C | |
|---|----|-------|--------|-------|
| | 16 | ITHOR | Intorm | STICH |
| | | CHICL | | анслі |

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 28-Jan-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS