SAFETY DATA SHEET FICHE SIGNALÉTIQUE

ACCOUNT NO NOM DE COMPTE	DATE	PAGES		
5916400	03/17/2023	9		
CATALOG NO. NO. DE CATALOGUE	DESCRIPTION			
S343500	S343500 SOD NITRATE ACS 500G			
CUSTOMER ORDER NO. VOTRE NO. DE COMMANDE				
CCRD 233952				

NIPISSING UNIVERSITY 100 COLLEGE DRIVE NORTH BAY ON P1B 8L7 ATTN: SAFETY OFFICER

Fisher Scientific

Customer Service Centre / Service à la clientèle 112 Colonnade Road Ottawa, ON K2E 7L6

Website / Site internet : fishersci.ca Email / Courriel : help@thermofisher.com

Voice / Voix: 800-234-7437

Important Safety Information - DO NOT DISCARD. Renseignements importants pour la securite - NE PAS JETER.

For each chemical, a safety data sheet will be sent only on the first shipment unless there is a revision to the data sheet.

Une fiche signaletique de chaque produit chimique sera envoyee lors de la premiere livraison seulement sauf si elle a ete revisee. If name and/or address have changed contact your Fisher sales representative of your local Fisher branch.

En cas de changement de nom et/ou d'adresse, contracter votre representant des ventes Fisher, ou votre succursale locale Fisher.

Required safety data sheets not included in this mailing will follow under a separate cover.

Toutes fiches signaletiques demandees et non incluses dans cet envoi suivront sous pli separe.





SAFETY DATA SHEET

Creation Date 21-Oct-2010 Revision Date 24-Dec-2021 Revision Number 6

1. Identification

Product Name Sodium nitrate

Cat No.: BP360500; S3423; S3433; S343500

CAS No 7631-99-4

Synonyms Chile saltpeter.; Cubic niter; Soda niter

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Liver, Heart, Blood.

Label Elements

Signal Word

Warning

Hazard Statements

May intensify fire; oxidizer Causes serious eye irritation May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear protective gloves/protective clothing/eye protection/face protection

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Sodium nitrate	7631-99-4	>95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Ingestion Do NOT induce vomiting. Get medical attention.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media Carbon dioxide (CO2)

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available Lower No data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Sodium oxides. Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	2	OX

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Avoid release to the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Incompatible Materials. Strong oxidizing agents. Strong reducing agents. Combustible material.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

No information available

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid Crystalline

Appearance White Odorless

Odor ThresholdNo information availablepH5.5-85% aq. solutionMelting Point/Range306 °C / 582.8 °FBoiling Point/Range380 °C / 716 °F

Flash Point No information available Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition Temperature

Decomposition Temperature380 °CViscosityNot applicable

Molecular Formula N Na O3
Molecular Weight 84.99

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Oxidizer: Contact with combustible/organic material may

cause fire. Hygroscopic.

Conditions to Avoid Avoid dust formation. Incompatible products. Combustible material. Excess heat. Exposure

to air or moisture over prolonged periods.

Incompatible Materials Strong oxidizing agents, Strong reducing agents, Combustible material

Hazardous Decomposition Products Sodium oxides, Nitrogen oxides (NOx)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Sodium nitrate	>2000 mg/kg (Rat)	Not listed	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity

	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ī	Sodium nitrate	7631-99-4	Not listed				

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known
STOT - repeated exposure Liver Heart Blood

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium nitrate	-	LC50: 994.4 - 1107 mg/L,	-	6000 mg/L 24h
		96h static (Oncorhynchus		_
		mykiss)		
		LC50: = 2000 mg/L, 96h		
		static (Lepomis macrochirus)		

Persistence and DegradabilitySoluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Sodium nitrate	-3.8

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1498

Proper Shipping Name SODIUM NITRATE

Hazard Class 5.1 Packing Group III

TDG

UN-No UN1498

Proper Shipping Name SODIUM NITRATE

Hazard Class 5.1 Packing Group III

<u>IATA</u>

UN-No UN1498

Proper Shipping Name SODIUM NITRATE

Hazard Class 5.1 Packing Group III

IMDG/IMO

UN-No UN1498

Proper Shipping Name SODIUM NITRATE

Hazard Class 5.1 Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Sodium nitrate	7631-99-4	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Sodium nitrate	7631-99-4	Х	-	231-554-3	Χ	Χ	Χ	Х	Х	KE-31545

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

OARA OTO			
Component	CAS No	Weight %	SARA 313 - Threshold
-			Values %
Sodium nitrate	7631-99-4	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium nitrate	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Requirements

Not applicable

Not applicable

Not applicable

Component	DHS Chemical Facility Anti-Terrorism Standard		
Sodium nitrate	Theft STQs - 400lb		

Other International Regulations

Sodium nitrate

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Sodium nitrate	7631-99-4	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

16. Other information

Prepared By Regulatory Affairs

7631-99-4

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Notification

Not applicable

 Creation Date
 21-Oct-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS