

# SAFETY DATA SHEET

Creation Date 11-October-2010

Revision Date 26-December-2021

Revision Number 6

	1. Identification
Product Name	Paraformaldehyde
Cat No. :	AC416780000; AC416780010; AC416780030; AC416780100; AC416780250; AC416785000
CAS-No Synonyms	30525-89-4 Formaldehyde polymer; Polyoxymethylene; Polyformaldehyde
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the sa	ifety data sheet

Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437

**Emergency Telephone Number** 

Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Manufacturer Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## **Classification**

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable solids	Category 2	
Acute oral toxicity	Category 4	
Acute Inhalation Toxicity	Category 4	
Skin Corrosion/Irritation	Category 2	
Serious Eye Damage/Eye Irritation	Category 1	
Skin Sensitization	Category 1	
Carcinogenicity	Category 2	
Specific target organ toxicity (single exposure)	Category 3	
Target Organs - Respiratory system.		
Combustible Dusts	Category 1	

Label Elements

Signal Word Danger

## **Hazard Statements**

Flammable solid May form combustible dust concentrations in air Harmful if swallowed or if inhaled Causes skin irritation May cause an allergic skin reaction Causes serious eye damage May cause respiratory irritation Suspected of causing cancer



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Keep container tightly closed

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

## Response

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Take off contaminated clothing

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Paraformaldehyde	30525-89-4	>90

## 4. First-aid measures

General Advice	If symptoms persist, call a physician.				
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.				
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.				
Ingestion	Clean mouth with water and drink afterwards plenty of water. Ge symptoms occur.	et medical attention if			
Most important symptoms/effects Notes to Physician	None reasonably foreseeable. Causes severe eye damage. May reaction. Inhalation of high vapor concentrations may cause syn dizziness, tiredness, nausea and vomiting: Symptoms of allergic itching, swelling, trouble breathing, tingling of the hands and feet lightheadedness, chest pain, muscle pain or flushing Treat symptomatically	nptoms like headache, reaction may include rash,			
	5. Fire-fighting measures				
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resista be used to cool closed containers.	ant foam. Water mist may			
Unsuitable Extinguishing Media	No information available				
Flash Point	71 °C / 159.8 °F				
Method -	No information available				
Autoignition Temperature	300 °C / 572 °F				
Explosion Limits					
Upper	73%				
Lower	7.0%				
Sensitivity to Mechanical Impac					
Sensitivity to Static Discharge	No information available				
<b>Specific Hazards Arising from the C</b> Flammable. Containers may explode	Chemical when heated. Fine dust dispersed in air may ignite. Combustible m	naterial.			
Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxi Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear.		equivalent) and full			
NFPA_					
Health 3	Flammability Instability 2 1	Physical hazards N/A			
	6 Accidental release measures				
Demo en el Des escrit	6. Accidental release measures				
Personal Precautions	Use personal protective equipment as required. Ensure adequat formation. Remove all sources of ignition. Take precautionary mediapharage				
Environmental Processions	discharges. Should not be released into the environment				

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up containers for disposal. Remove all sources of ignition.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents.
	8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

## Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

Eye Protection Hand Protection	Goggles Protective gloves		
Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

## **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

No information available.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical prop	perties
-------------------------------	---------

**Physical State** 

Solid

## Paraformaldehyde

Appearance
Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula

White pungent No information available 3.5-5.0 10% susp 120 - 170 °C / 248 - 338 °F No information available 71 °C / 159.8 °F Not applicable No information available 73% 7.0%

7.0% 1.2 mmHg @ 25 °C Not applicable 1.46 slightly soluble No data available 300 °C / 572 °F No information available Not applicable (CH2O)n

## 10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions.
Conditions to Avoid	Excess heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

## Acute Toxicity

Product Information Oral LD50 Dermal LD50 Mist LC50 Component Information	Category 4. ATE = 300 - 20 Based on ATE data, the cla Category 4. ATE = 1 - 5 mg	assification criteria are not met	t. ATE > 2000 mg/kg.
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Paraformaldehyde	LD50 = 800 mg/kg (Rat)	Not listed	LC50 = 1070 mg/m <sup>3</sup> (Rat) 4 h
Toxicologically Synergistic Products Delayed and immediate effects	No information available as well as chronic effects from	short and long-term expos	ure
Irritation	Irritating to eyes, respiratory system and skin		
Sensitization	May cause sensitization by skin contact		
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.		

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Paraformaldehyde	30525-89-4	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		Mutagenic effects	have occurred in e	xperimental anima	ls.	
Reproductive Effects No information available.						
Developmental Effe	cts	No information ava	ailable.			
Teratogenicity		No information ava	ailable.			
STOT - single expos STOT - repeated exp						
Aspiration hazard No information available						
Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, ch pain, muscle pain or flushing				e rash, itching,		
Endocrine Disrupto	ruptor Information No information available					
Other Adverse Effec	Other Adverse Effects The toxicological properties have not been fully investigated.					
12. Ecological information						

Ecotoxicity Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Paraformaldehyde	Not listed	>10 mg/L 96h	Not listed	EC50 = 42 mg/L 24h
Persistence and Degrada	ability May persist	based on information availa	ble.	
Bioaccumulation/ Accumulation No information available.				
Mobility	Is not likely mobile in the environment due its low water solubility.			
13. Disposal considerations				
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is cla   hazardous waste. Chemical waste generators must also consult local, regional,   national hazardous waste regulations to ensure complete and accurate classification Classification			local, regional, and	

	14. Transport information			
DOT				
UN-No	UN2213			
Proper Shipping Name	PARAFORMALDEHYDE			
Hazard Class	4.1			
Packing Group	III			
<u>TDG</u>				
UN-No	UN2213			
Proper Shipping Name	PARAFORMALDEHYDE			
Hazard Class	4.1			
Packing Group	III			
UN-No	UN2213			
Proper Shipping Name				
Hazard Class 4.1				
Packing Group	III			
IMDG/IMO				
UN-No	UN2213			

Proper Shipping Name	PARAFORMALDEHYDE
Hazard Class	4.1
Packing Group	III
	15. Regulatory information

## International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA In notific Active-I	•	EINECS	ELINCS	NLP
Paraformaldehyde	30525-89-4	Х	-	Х	ACT	IVE	-	-	-
Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Paraformaldehyde	30525-89-4	Х	KE-27818	Х	Х	Х	X	Х	Х

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

## Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

## Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Paraformaldehyde	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Paraformaldehyde	30525-89-4	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Paraformaldehyde	30525-89-4	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	11-October-2010 26-December-2021 26-December-2021 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of SDS