MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: NU-CLEAR I, NU-CLEAR II

PART NUMBER: 6769008, 6769009 GENERAL USE: Acid alcohol rinse.

PRODUCT DESCRIPTION: Clear flammable liquid, characteristic alcohol odor



THOUSAND DECORATIONS CICAL HARMING IN	10.0, 0		
MANUFACTURER'S NAME (Distributor in the A	Americas)	DATE PREPARED: March 16, 2007 SUPERSEDES: November 26, 2003	Page 1 of 4
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMA	ATION
171 Industry Drive		(412) 747-4071	
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER	
Pittsburgh, PA 15275	USA	ChemTel Inc. 1- (800) 255-3924 Int	. + 01 (813) 248-0585
DISTRIBUTOR'S NAME (Outside the Americas	5)		
Thermo Fisher Scientific, Inc.	·		
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMA	ATION
93/96 Chadwick Road, Astmoor			
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER	
Runcorn, Cheshire WA7 1PR	United Kingdom	ChemTel Inc. 1- (800) 255-3924 Int	. + 01 (813) 248-0585
	011 0 111 74	DROUG INODEDIENTO	

SEC	TION 2 - HAZARI	YOUS INGKL	EUIENIS		
	%	CAC #	EINECS#	Hazard	RISK PHRASES
HAZARDOUS COMPONENTS	(by weight)	CAS#	EINECS#	Symbol	Full Text Section 16
Ethanol	60 - 70	64-17-5	200-578-6	F	R-11
Methyl alcohol (a,b,c)	1 - 5	67-56-1	200-659-6	F, T	R-11, 23/24/25, 39
Methyl isobutyl ketone (a,b,c)	0.5 - 1.5	108-10-1	203-550-1	F, Xn	R-11, 20, 36/37, 66

(a,c) See Section 15

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Flammable liquid. Contains methanol, harmful if swallowed. Product cannot be made non-poisonous. Contact with skin and eyes may cause irritation. Hazard symbols for this product - F, Xn. Risk Phrases - R11, 20/21/22

POTENTIAL HEALTH EFFECTS

INHALATION: High concentrations may cause dizziness, drowsiness, nausea, and vomiting.

SKIN: Brief contact may cause slight irritation; no evidence of other adverse effects from available information.

EYES: Contact may cause minor irritation.

INGESTION: Causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait, and coma. Ingestion of a large quantity of this product will result in methyl alcohol poisoning.

CARCINOGENICITY NO IARC MONOGRAPHS? No OSHA REGULATED? No

⁽b) Indicates that the Resource Conservation and Recovery Act (RCRA) has determined the waste for this chemical is listed as hazardous and must be handled according to regulations in 40 CFR 260-281.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: NU-CLEAR I, NU-CLEAR II

March 16, 2007

Page 2 of 4

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is flammable. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam

FIRE FIGHTING PROCEDURES

Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat. Caution - material is flammable!

UNUSUAL FIRE AND EXPLOSION HAZARDS

Closed containers can explode due to buildup of pressure when exposed to extreme heat. Vapors may cause a flash fire or ignite explosively. Vapors may travel a considerable distance to a source of ignition and flash back.

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes, oxides of carbon

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CAUTION - FLAMMABLE - Evacuate and ventilate area; confine and absorb into absorbent; place material into approved containers for disposal; for spills in excess of allowable limits (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 and SARA Title III, Section 313 40 CFR 372 for detailed instructions concerning reporting requirements. Do not discharge into lakes, ponds, streams or public waters.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. CAUTION - FLAMMABLE - keep away from all sources of ignition. "Empty" containers may contain residue which may form explosive vapors. Do not weld or cut near empty container that has not been professionally reconditioned. Use non-sparking tools when opening and closing containers. Maintain well ventilated work areas to minimize exposure when handling this material.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH			ACGIH				
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Ethanol					1000	1884		
Methyl alcohol (a,b,c)					200	262	250	327
Methyl isobutyl ketone (a,b,c)	50	200	75	300	50	200	75	300

PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): Not ordinarily required, however, NIOSH approved respirator recommended to prevent overexposure.. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Recommended for general protection

EYE PROTECTION: Protective eyeglasses or chemical safety goggles. Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET PRODUCT NAME: NU-CLEAR I, NU-CLEAR II March 16, 2007

Page 3 of 4

March 16, 2007	
SECTION 9 - PHY	SICAL AND CHEMICAL PROPERTIES
APPEARANCE AND ODOR	VAPOR PRESSURE
Clear liquid, characteristic alcohol odor	40.4 mm Hg @ 20º C
На	SPECIFIC GRAVITY (WATER = 1)
Not applicable	0.84
BOILING POINT / BOILING RANGE	SOLUBILITY IN WATER
171° F (77.2° C)	Complete
FLASH POINT	VISCOSITY
51° F (10.6° C) TCC	Like that of water
FLAMMABLE LIMITS	VAPOR DENSITY (AIR = 1)
LEL: 3.3% UEL: 19%	1.6
AUTOIGNITION TEMPERATURE	EVAPORATION RATE (WATER = 1)
793° F (423° C)	<1

SECTION 10 - STABILITY AND REACTIVITY

STABILITY

CONDITIONS TO AVOID: Extreme temperatures, open flames, sparks

STABLE: X

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

HAZARDOUS POLYMERIZATION

MAY OCCUR:

CONDITIONS TO AVOID: None

WILL NOT OCCUR: X TOWARD POWER INCOMMENTAL AEATIAN 11

Hazardous Components	CAS#	LD50 of Ingredient	LC50 of Ingredient	
	EINECS#	(Specify Species and Route)	(Specify Species)	
	64-17-5	3450 mg / kg	20,000 ppm / 10H	
Ethanol	200-578-6	Oral - mouse	Inhalation - rat	
Methyl alcohol (a,b,c)	67-56-1	9100 mg / kg	145,000 ppm / 4H	
	200-659-6	Oral - rat	Inhalation - rat	
Methyl isobutyl ketone (a,b,c)	108-10-1	2080 mg / kg	4000 ppm / 4H	
	203-550-1	Oral - rat	Inhalation - rat	

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used. Dispose of in accordance with Local, State, and Federal Regulations. This product may produce hazardous vapors or fumes in a closed disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Ethyl alcohol mixture

DOT HAZARD CLASS / Pack Group: 3 / II

REFERENCE: 49 CFR 173.150, .202, .242

UN / NA IDENTIFICATION NUMBER: UN 1170

LABEL: FLAMMABLE LIQUID

HAZARD SYMBOLS: F

IATA HAZARD CLASS / Pack Group: 3 / II

IMDG HAZARD CLASS: 3 RID/ADR Dangerous Goods Code: 3 (3B)

UN TDG Class / Pack Group: 3 / II Hazard Identification Number (HIN): 33

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: NU-CLEAR I, NU-CLEAR II

March 16, 2007

Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

Immediate health, fire hazard

313 Reportable Ingredients:

(a) A "Yes" in the SARA TITLE III column in Section 2 indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (USA - Comprehensive Response Compensation and Liability Act)

(c) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture > 24000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: B2, D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL and may or may not be listed in Section 2 of this document. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1

VbK Index: A I

RISK PHRASES:

R11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

SYMBOL(S) REQUIRED FOR LABEL

Flammable Harmful





SAFETY PHRASES:

S7 Keep container tightly closed. S16 Keep away from sources of ignition

SECTION 16 - OTHER INFORMATION

Notes & full R-Phrase text

R11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36/37 Irritating to eyes and respiratory system

R39 Danger of very serious irreversible effects.

R66 Repeated exposure may cause skin dryness or cracking.

HMIS HAZARD RATINGS

HEALTH

* = Chronic Health Hazard

ChemTel

2 = MODERATE

FLAMMABILITY

0 = INSIGNIFICANT 3

3 = HIGH

PHYSICAL HAZARD

1 = SLIGHT 0

4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT

Safety Glasses, Gloves, Vapor Respirator

REVISION SUMMARY:

This MSDS has been revised in the following sections:

Text update

MSDS Prepared by:

ChemTel Inc. 1305 N. Florida Ave.

Tampa, Florida USA 33602

(888) 255-3924 Intl. 01+ (813) 248-0573 www.chemtelinc.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current applicable and suited to the circumstances of use. Vendor assumes no responsibility for fujury to vendee or third persons productably caused by the material is no responsibility for injury caused by abnormal use of ionable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assu his material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as scribed in Section 1.