

# **SAFETY DATA SHEET**

Version 6.3 Revision Date 19.10.2022 Print Date 13.01.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

	Product name :		4-(Dimethylamino)pyridine
	Product Number Brand CAS-No.	:	107700 Aldrich 1122-58-3
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances

#### **1.3** Details of the supplier of the safety data sheet

Company	: MilliporeSigma Canada Lto 2149 WINSTON PARK DRJ OAKVILLE ON L6H 6J8 CANADA	
Telephone	: +1 905 829-9500	
Fax	: +1 905 829-9292	

#### **1.4 Emergency telephone**

Emergency Phone # : +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)


Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 2), H310 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 1), Nervous system, H370 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Aldrich - 107700

Page 1 of 10





Pictogram	
Signal Word	Danger
Hazard statement(s) H301 + H331 H310 H315 H318 H370 H411	Toxic if swallowed or if inhaled. Fatal in contact with skin. Causes skin irritation. Causes serious eye damage. Causes damage to organs (Nervous system). Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P260 P262 P264 P270	Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P273 P280	Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P302 + P352 + P310	IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/ doctor.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P311 P332 + P313 P361 + P364	IF exposed or concerned: Call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. Take off immediately all contaminated clothing and wash it before reuse.
P391 P403 + P233 P405 P501	Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

3.1 Substances

# SECTION 3: Composition/information on ingredients

Synonyms	: DMAP
Formula	: C <sub>7</sub> H <sub>10</sub> N <sub>2</sub>
Molecular weight	: 122.17 g/mol
CAS-No.	: 1122-58-3
EC-No.	: 214-353-5

Aldrich - 107700

Page 2 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Component	Classification	Concentration *
N,N-dimethylpyridin-4-amine		
	Acute Tox. 3; Acute Tox. 2; Skin Irrit. 2; Eye Dam. 1; STOT SE 1; Aquatic Acute 2; Aquatic Chronic 2; H301, H331, H310, H315, H318, H370, H401, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Aldrich - 107700

Page 3 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Aldrich - 107700

Page 4 of 10



Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Aldrich - 107700

Page 5 of 10



Do not let product enter drains.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

		-	
	a)	Appearance	Form: solid
	b)	Odor	No data available
	c)	Odor Threshold	No data available
	d)	рН	10.23 at 0.1 g/l at 22 °C (72 °F)
	e)	Melting point/freezing point	Melting point/range: 108 - 110 °C (226 - 230 °F) - lit.
	f)	Initial boiling point and boiling range	162 °C 324 °F
	g)	Flash point	124 °C (255 °F) - DIN 51758
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapor pressure	No data available
	I)	Vapor density	No data available
	m)	Density	No data available
		Relative density	0.96120 °C
	n)	Water solubility	No data available
	o)	Partition coefficient: n-octanol/water	No data available
	p)	Autoignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	none
9.2		ler safety informatio	n

No data available

Aldrich - 107700

Page 6 of 10



#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents acids Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

#### 10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** no information available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

LD50 Oral - Rat - male - 140 mg/kg (US-EPA) Symptoms: Nausea, Vomiting, Diarrhea LC50 Inhalation - Rat - 4 h - 0.53 mg/l - dust/mist

#### (US-EPA)

Symptoms: mucosal irritations, Headache, Nausea, Drowsiness, somnolence, After a latency period:, Inhalation may lead to the formation of oedemas in the respiratory tract. LD50 Dermal - Rabbit - male and female - 90 mg/kg Remarks: (ECHA)

#### **Skin corrosion/irritation** Remarks: No data available

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive Remarks: (ECHA)

#### **Respiratory or skin sensitization**

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Aldrich - 107700

Page 7 of 10



Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: US-EPA Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure Causes damage to organs. - Nervous system

#### Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** 

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 26 Weeks - NOAEL (No observed adverse effect level) - < 2 mg/kg Remarks: (in analogy to similar products) The value is given in analogy to the following substances: 4-aminopyridine

RTECS: US9230000 Weakness, Convulsions To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 11.6 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 4.22 mg/l - 72 h

Aldrich - 107700

Page 8 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Toxicity to bacteria static test IC50 - Tetrahymena pyriformis - 527.09 mg/l - 60 h Remarks: (ECHA)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 0 % - Not readily biodegradable. (Closed Bottle test) Remarks: (ECHA)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### **12.5** Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14: Transport information**

TDG

UN number: 2811 Class: 6.1 Packing group: II Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (N,N-dimethylpyridin-4-amine) Labels: 6.1 ERG Code: 154 Marine pollutant: no

#### IMDG

UN number: 2811 Class: 6.1 Packing group: II EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (N,N-dimethylpyridin-4-amine) Marine pollutant : yes

#### ΙΑΤΑ

UN number: 2811 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, organic, n.o.s. (N,N-dimethylpyridin-4-amine)

Aldrich - 107700

Page 9 of 10



#### SECTION 15: Regulatory information

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 19.10.2022

Print Date: 13.01.2024

Aldrich - 107700

Page 10 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

