

# SAFETY DATA SHEET

Version 6.9 Revision Date 18.01.2024 Print Date 24.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Acetic anhydride

Product Number : 242845

Brand : Sigma-Aldrich Index-No. : 607-008-00-9 CAS-No. : 108-24-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.

2149 WINSTON PARK DRIVE

OAKVILLE ON L6H 6J8

**CANADA** 

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330 Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - 242845

Page 1 of 12



# Pictogram



| Signal | Word | Danger |
|--------|------|--------|
|        |      |        |

|   | 1 – – – – 1 | Statements |  |
|---|-------------|------------|--|
| _ | iazarn      | STATEMENTS |  |
|   |             |            |  |

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

#### **Precautionary Statements**

| P210 | Keep away 1 | from heat, ho | t surfaces, spar | ks, open f | lames and |
|------|-------------|---------------|------------------|------------|-----------|
|------|-------------|---------------|------------------|------------|-----------|

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Reacts violently with water.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Sigma-Aldrich - 242845

Page 2 of 12

| Component        | Classification   | Concentration * |
|------------------|--|-----------------|
| Acetic anhydride |  |                 |
|                  | Flam. Liq. 3; Acute Tox. 4; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; H226, H302, H330, H314, H318 Concentration limits: >= 25 %: Skin Corr. 1B, H314; 5 - < 25 %: Skin Irrit. 2, H315; 5 - < 25 %: Eye Dam. 1, H318; 1 - < 5 %: Eye Irrit. 2, H319; >= 5 %: STOT SE 3, H335; | <= 100 %        |
| * Weight %       |  |                 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 242845

Page 3 of 12



# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling

Sigma-Aldrich - 242845

Page 4 of 12



Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Reacts violently with water.

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# Ingredients with workplace control parameters

| Components       | CAS-No.  | Value   | Control parameters | Basis   |  |
|------------------|----------|---|--------------------|---|--|
| Acetic anhydride | 108-24-7 | TWAEV   | 1 ppm              | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |  |
|                  |          | (c)   | 5 ppm<br>21 mg/m3  | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)   |  |
| Remarks          |          | ational exposure limit is based on irritation effects and its adjustment to ensate for unusual work schedules is not required |                    |   |  |
|                  |          | TWA   | 1 ppm              | Canada. British Columbia OEL  |  |
|                  |          | STEL  | 3 ppm              | Canada. British Columbia OEL  |  |

Sigma-Aldrich - 242845 Page 5 of 12



|   | STEV | 3 ppm | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
|---|------|-------|---|
|   | TWA  | 1 ppm | USA. ACGIH Threshold Limit Values (TLV)   |
| • | STEL | 3 ppm | USA. ACGIH Threshold Limit Values (TLV)   |

# 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0.6 mm Break through time: 60 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

Recommended Filter type: Filter type ABEK



The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor pungent

c) Odor Threshold No data available No data available d) pH

Melting point/range: -73 °C (-99 °F) - lit. e) Melting

point/freezing point

138 - 140 °C 280 - 284 °F - lit. Initial boiling point and boiling range

49 °C (120 °F) - closed cup g) Flash point

h) Evaporation rate No data available Flammability (solid, No data available gas)

Upper/lower j)

Upper explosion limit: 10.3 %(V) flammability or Lower explosion limit: 2.7 %(V) explosive limits

k) Vapor pressure 13 hPa at 36 °C (97 °F)

Vapor density No data available m) Density 1.08 g/cm3 - lit. No data available Relative density

n) Water solubility 107 g/l at 15 °C (59 °F) - slightly solubleHydrolysis

o) Partition coefficient: log Pow: ca.-0.5 at 20 °C (68 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition

316 °C (601 °F) at 1,013.25 hPa

temperature Decomposition temperature

No data available



r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Surface tension 31.93 mN/m at 25 °C (77 °F)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Can violently decompose at elevated temperatures Vapor/air-mixtures are explosive at intense warming.

# 10.2 Chemical stability

Decomposes when moist.

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Risk of explosion with:

ethanol

potassium permanganate

Strong oxidizing agents

perchloric acid

Nitric acid

hydrogen peroxide

chromium(VI) oxide

barium peroxide

peroxi compounds

ammonium nitrate

with

Nitric acid

Exothermic reaction with:

Ammonia

Potassium hydroxide

nitrates

Sodium hydroxide

Acetic acid, diluted

Violent reactions possible with:

Water

Possible formation of:

acetic acid

#### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction. Heating.

#### 10.5 Incompatible materials

No data available



# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 630 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - 4 h - > 0.5 - < 2 mg/l - vapor

(OECD Test Guideline 412)

Remarks: (ECHA)

Dermal: No data available

# **Skin corrosion/irritation**

Skin - in vitro test

Result: Causes burns. - 4 h

Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rat

Result: Corrosive - 24 h

Remarks: (ECHA)

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Micronucleus test

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapor) Method: OECD Test Guideline 474

Result: negative Sigma-Aldrich - 242845



# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: AK1925000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - >

300.82 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (in analogy to similar products)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Skeletonema costatum - > 300.82 mg/l - 72 h

(ISO 10253)

static test NOEC - Pseudomonas putida - 1,150 mg/l - 16 h Toxicity to bacteria

Remarks: (ECHA)

## 12.2 Persistence and degradability

Biodegradability Zahn-Wellens Test - Exposure time 5 d

Result: > 95 % - Readily biodegradable.

(OECD Test Guideline 302B)

#### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow  $\leq$  4).

#### 12.4 Mobility in soil

No data available

Sigma-Aldrich - 242845

Page 10 of 12



#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

**TDG** 

UN number: 1715 Class: 8 (3) Packing group: II

Proper shipping name: ACETIC ANHYDRIDE

Subsidiary risk : 3

Labels: 8

(3)ERG Code: 137 Marine pollutant: no

**IMDG** 

UN number: 1715 Class: 8 (3) Packing group: II EMS-No: F-E, S-C

Proper shipping name: ACETIC ANHYDRIDE

**IATA** 

UN number: 1715 Class: 8 (3) Packing group: II

Proper shipping name: Acetic anhydride

# **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Sigma-Aldrich - 242845

Page 11 of 12



#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.9 Revision Date: 18.01.2024 Print Date: 24.02.2024

