

SAFETY DATA SHEET

Creation Date 15-June-2009	Revision Date 17-January-2018	Revision Number 4
	1. Identification	
Product Name	Hexanes	
Cat No. :	H303-1; H303-4; H303-4LC; H303RS-19; H303R H303RS-115; H303RS-200; H303SK-4; H303SS- H303SS-50; H303SS-115; H303SS-200	
CAS-No Synonyms	92112-69-1 Hex	
Recommended Use Uses advised against	Laboratory chemicals. Not for food, drug, pesticide or biocidal product use	
Details of the supplier of the safe	ty data sheet	
Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437 Emergency Telephone Number Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616	Manufacturer Fisher Scientifi One Reagent L Fair Lawn, NJ (Tel: (201) 796-	ane 07410
	2. Hazard(s) identification	
<u>Classification</u>		
WHMIS 2015 Classification	Classified as hazardous under the Hazardous Products Regu	lations (SOR/2015-17)
Flammable liquids Skin Corrosion/irritation Serious Eye Damage/Eye Irritatio Reproductive Toxicity Specific target organ toxicity (sin Target Organs - Respiratory syster Specific target organ toxicity - (re Target Organs - Respiratory syster Aspiration Toxicity	Category 2 gle exposure) Category 3 n, Central nervous system (CNS). epeated exposure) Category 1	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor

Hexanes

May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness and dizziness Suspected of damaging fertility

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF exposed or concerned: Get medical advice/attention

Do NOT induce vomiting

If skin irritation occurs: Get medical advice/attention

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Hexane, branched and linear	92112-69-1	100

4. First-aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately. If vomiting occurs naturally, have victim lean forward.
Most important symptoms/effects	Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire
Flash Point	-22 °C / -7.6 °F
Method -	No information available
Autoignition Temperature	223 °C / 433.4 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No information available
Specific Hazards Arising from the C Flammable. Containers may explode ignition and flash back.	when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3	Flammability 3	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions		quipment. Ensure adequate ver ry measures against static disc	ntilation. Remove all sources of
Environmental Precautions		vater or sanitary sewer system.	
Methods for Containment and Cle Up	Remove all sources of ign		closed containers for disposal. sures against static discharges.

7. Handling and storage Handling Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat and sources of ignition.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexane, branched and linear						(Vacated) TWA: 500 ppm (Vacated) TWA: 1800 mg/m ³ (Vacated) STEL: 1000 ppm (Vacated) STEL: 3600 mg/m ³	

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Hand Protection	Wear appropriate protective	gloves and clothing to prevent	skin exposure.
	EN166.		
-	OSHA's eye and face protect	tion regulations in 29 CFR 191	0.133 or European Standard
Eye Protection	Wear appropriate protective	eyeglasses or chemical safety	goggles as described by

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Viton (R)	recommendations		

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties				
Physical State	Liquid			
Appearance	Colorless			
Odor	No information available			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	-95 °C / -139 °F			
Boiling Point/Range	69 °C / 156.2 °F @ 760 mmHg			
Flash Point	-22 °C / -7.6 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	No data available			
Lower	No data available			
Vapor Pressure	160 mbar @ 20°C			
Vapor Density	No information available			
Specific Gravity	0.659			
Solubility	immiscible			
Partition coefficient; n-octanol/water	No data available			
Autoignition Temperature	223 °C / 433.4 °F			
Decomposition Temperature	No information available			
Viscosity	0.31 mPa s @ 20 °C			
Molecular Formula	C6 H14			
Molecular Weight	86.18			

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	ts Carbon monoxide (CO), Carbon dioxide (CO2)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation				
Hexane, branched and linear	LD50 = 15000 mg/kg(Rat)	LD50 = 3350 mg/kg (Rabbit)	LC50 = 259354 mg/m ³ (Rat) 4h				
Toxicologically Synergistic	No information available						
Products							
Delayed and immediate effects	Delayed and immediate effects as well as chronic effects from short and long-term exposure						

Irritation	Irritating to eyes and skin

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Hexane, branched and linear	92112-69-1	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	eproductive Effects Possible risk of impaired fertility.						
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated ex		Respiratory system Central nervous system (CNS) Respiratory system Heart					
Aspiration hazard		No information available					
Symptoms / effects delayed	s,both acute and	d Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting			he, dizziness,		
Endocrine Disrupto	r Information	No information available					
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.					

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Based on available literature. Data from closely analogous substances.

Persistence and Degradability	Persistence is unlikely based on information available.					
Bioaccumulation/ Accumulation	No information available.					
Mobility	Will likely be mobile in the environment due to its volatility.					

Component	log Pow
Hexane, branched and linear	4.11

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information				
DOT UN-No	UN1208			
Proper Shipping Name	Hexanes			
Hazard Class	3			
Packing Group TDG	II			
UN-No	UN1208			
Proper Shipping Name Hazard Class	HEXANES 3			
	-			

Packing Group	II
IATA	
UN-No	UN1208
Proper Shipping Name	Hexanes (Mixture)
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1208
Proper Shipping Name	Hexanes (Mixture)
Hazard Class	3
Packing Group	I
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Hexane, branched and linear	-	-	-	295-570-2	438-390-		-	Х	Х	-	-
					3						

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	15-June-2009
Revision Date	17-January-2018
Print Date	17-January-2018
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS