SIGMA-ALDRICH

SAFETY DATA SHEET

Version 3.21 Revision Date 09/27/2017 Print Date 04/13/2018

		Print Date 04/13/2018			
1. F	RODUCT AND COMPANY I	DENTIFICATION			
1.1	Product identifiers Product name	E Dimethyl sulfoxide			
	Product Number Brand	: 276855 : Sigma-Aldrich			
	CAS-No.	: 67-68-5			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Identified uses	: Laboratory chemicals, Synthesis of substances			
1.3	Details of the supplier of the safety data sheet				
	Company	: Sigma-Aldrich Canada Co. 2149 Winston Park Drive OAKVILLE ON L6H 6J8 CANADA			
	Telephone Fax	: +1 9058299500 : +1 9058299292			
1.4	Emergency telephone number				
	Emergency Phone #	: +1-703-527-3887 (CHEMTREC)			
2. F	AZARDS IDENTIFICATION				
2.1	Classification of the substance or mixture				
	GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17) Flammable liquids (Category 4), H227				
	For the full text of the H-Statements mentioned in this Section, see Section 16.				
2.2	GHS Label elements, including precautionary statements				
	Pictogram	none			
	Signal word	Warning			
	Hazard statement(s) H227	Combustible liquid.			
	Precautionary statement(s P210	S) Keep away from heat, hot surfaces, sparks, open flames and other			

ignition sources. No smoking.

Store in a well-ventilated place.

extinguish.

Wear protective gloves/ eye protection/ face protection.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

Dispose of contents/ container to an approved waste disposal plant.

P280 P370 + P378 P403 P501

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Rapidly absorbed through skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms	:	DMSO Methyl sulfoxide
Formula	:	C ₂ H ₆ OS
Molecular weight	:	78.13 g/mol
CAS-No.	:	67-68-5
EC-No.	:	200-664-3
Registration number	:	01-2119431362-50-XXXX

Hazardous components

Component	Classification	Concentration*
Dimethyl sulfoxide		
	Flam. Liq. 4; H227	90 - 100 %

* Weight percent

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 38 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties			
	a)	Appearance	Form: liquid, clear Colour: colourless	
	b)	Odour	sulphurous	
	c)	Odour Threshold	No data available	
	d)	рН	Not applicable	
	e)	Melting point/freezing point	Melting point/range: 16 - 19 °C (61 - 66 °F)	
	f)	Initial boiling point and boiling range	189 °C (372 °F)	
	g)	Flash point	87 °C (189 °F) - closed cup - ASTM D 93	
	h)	Evaporation rate	No data available	
	i)	Flammability (solid, gas)	No data available	
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 42 %(V) Lower explosion limit: 3.5 %(V)	
	k)	Vapour pressure	0.55 hPa (0.41 mmHg) at 20 °C (68 °F) 4 hPa (3 mmHg) at 50 °C (122 °F)	
	I)	Vapour density	2.70 - (Air = 1.0)	
	m)	Relative density	1.1 g/mL	
	n)	Water solubility	completely miscible	
	0)	Partition coefficient: n- octanol/water	log Pow: -1.35	
	p)	Auto-ignition temperature	300 - 302 °C (572 - 576 °F)	
	q)	Decomposition temperature	> 190 °C (> 374 °F) -	
	r)	Viscosity	No data available	
	s)	Explosive properties	Not explosive	
	t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.	
9.2	Othe	r safety information		
		Solubility in other solvents	Alcohol - soluble Diethylether - soluble	
		Surface tension	43.5 mN/m at 20 °C (68 °F)	
		Relative vapour density	2.70 - (Air = 1.0)	

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 14,500 mg/kg

LC50 Inhalation - Rat - 4 h - 40250 ppm

LD50 Dermal - Rabbit - > 5,000 mg/kg

No data available

Skin corrosion/irritation Mild skin irritation

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity Mouse

lymphocyte Cytogenetic analysis

Mouse lymphocyte Mutation in mammalian somatic cells.

Rat Cytogenetic analysis

Mouse DNA damage

Carcinogenicity

Carcinogenicity - Rat - Oral Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors.

Carcinogenicity - Mouse - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin and Appendages: Other: Tumors.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

Reproductive toxicity - Rat - Intraperitoneal Effects on Fertility: Abortion.

Reproductive toxicity - Rat - Intraperitoneal Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity - Rat - Subcutaneous

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity - Mouse - Oral

Effects on Fertility: Pre-implantation mortality (e.g., reduction in numbe corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Mouse - Intraperitoneal

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: PV6210000

Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

12.3

12.4

12.5

12.6

	Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h	
		LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h	
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h (OECD Test Guideline 202)	
	Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 17,000 mg/l - 72 h (OECD Test Guideline 201)	
12.2	Persistence and degrad	dability	
	Biodegradability	Result: 31 % - According to the results of tests of biodegradability this product is not readily biodegradable. (OECD Test Guideline 301D)	
2.3	Bioaccumulative potentia No data available	al	
2.4	Mobility in soil No data available		
2.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted		
2.6	Other adverse effects		
	No data available		
	Stability in water	- 0.12 - 1.2 h at 30 °C Remarks: Hydrolyses readily.	
13.	DISPOSAL CONSIDERATI	ONS	

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

14. TRANSPORT INFORMATION

TDG (Canada)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Flam. Liq.Flammable liquidsH227Combustible liquid.

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Version: 3.21

Revision Date: 09/27/2017

Print Date: 04/13/2018