

SAFETY DATA SHEET

Creation Date 03-June-2010	Revision Date 18-January-2018	Revision Number 3
	1. Identification	
Product Name	1-Propanol	
Cat No. :	A414-1; A414-4; A414-20; A414-500; A414 BP1130-500; XXNPROALCRS200; NC1348	
CAS-No Synonyms	71-23-8 n-Propanol; n-Propyl alcohol (Certified/Peroxide-Free/S	Sequencing)
Recommended Use Uses advised against	Laboratory chemicals. Not for food, drug, pesticide or biocidal product use	
Details of the supplier of the sa	afety data sheet	
Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada	Fair Law	scientific agent Lane vn, NJ 07410 1) 796-7100
Emergency Telephone Number CHEMTREC®, Inside the USA: 8	800-424-9300	
Emergency Telephone Number CHEMTREC®, Inside the USA: 8	800-424-9300	
Emergency Telephone Number CHEMTREC®, Inside the USA: 8 CHEMTREC®, Outside the USA	800-424-9300 :: 001-703-527-3887	
Emergency Telephone Number CHEMTREC®, Inside the USA: 8 CHEMTREC®, Outside the USA CHESSIFICATION	800-424-9300 :: 001-703-527-3887	s Regulations (SOR/2015-17)
Tel: 1-800-234-7437 Emergency Telephone Number CHEMTREC®, Inside the USA: 8 CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Flammable liquids Serious Eye Damage/Eye Irrita Specific target organ toxicity (Target Organs - Central nervous	800-424-9300 2. Hazard(s) identification Classified as hazardous under the Hazardous Products Category 2 Category 1 (single exposure) Category 3	s Regulations (SOR/2015-17)
Emergency Telephone Number CHEMTREC®, Inside the USA: & CHEMTREC®, Outside the USA CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Flammable liquids Serious Eye Damage/Eye Irrita Specific target organ toxicity (Target Organs - Central nervous	800-424-9300 2. Hazard(s) identification Classified as hazardous under the Hazardous Products Category 2 Category 1 (single exposure) Category 3	s Regulations (SOR/2015-17)
Emergency Telephone Number CHEMTREC®, Inside the USA: 8 CHEMTREC®, Outside the USA Classification WHMIS 2015 Classification Flammable liquids Serious Eye Damage/Eye Irrita Specific target organ toxicity (800-424-9300 x: 001-703-527-3887 2. Hazard(s) identification Classified as hazardous under the Hazardous Product: tion (single exposure) s system (CNS). Category 2 Category 1 Category 3 S system (CNS).	s Regulations (SOR/2015-17)



Precautionary Statements Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

3. C	3. Composition/Information on Ingredients							
Component	Component CAS-No Weight %							
n-Propyl alcohol		71-23-8	> 99					
	4. First-aid measures							
Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.								
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.							
Inhalation	Move to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration.							
Ingestion	Do not induce vomiting. Obtain medical attention.							
Most important symptoms/effects	Breathing difficulties. Causes eye burns. Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting							
Notes to Physician								
	5. Fi	re-fighting measures						
Suitable Extinguishing Media		mical, dry sand, alcohol-resistant foam	. Cool closed containers exposed to fire					

Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	15 °C / 59 °F
Method -	No information available
Autoignition Temperature	405 °C / 761 °F
Explosion Limits Upper	13.7 vol %
Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	2.2 vol % No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health	Flommobility	Inotohility	Dhusiaal bazarda				
neann 1	Flammability 3	Instability 0	Physical hazards N/A				
	6. Accidental re	lease measures					
Personal Precautions Environmental Precautions	measures against static discharges. Avoid contact with skin, eyes and clothing.						
Methods for Containment and Cl Up	Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, Up closed containers for disposal. Take precautionary measures against static discharges. Us spark-proof tools and explosion-proof equipment.						
	7. Handling	and storage					
Handling	ingestion and inhalation. K Use only non-sparking too	ls. Use explosion-proof equipm To avoid ignition of vapors by s	on skin, or on clothing. Avoid ot surfaces and sources of ignition. ient. Take precautionary measures tatic electricity discharge, all metal				
Storage	Keep containers tightly clo	sed in a dry, cool and well-ven	tilated place. Keep away from heat				

otorage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Propyl alcohol	TWA: 200 ppm TWA: 492 mg/m ³ STEL: 400 ppm STEL: 984		TWA: 100 ppm	TWA: 200 ppm TWA: 492 mg/m ³ STEL: 250 ppm STEL: 614		(Vacated) TWA: 200 ppm (Vacated) TWA: 500 mg/m ³ (Vacated) STEL:	TWA: 200 ppm TWA: 500 mg/m ³

_				
	mg/m ³	mg/m ³	250 ppm	STEL: 625
		Skin	(Vacated) STEL:	mg/m³
			625 mg/m ³	•
			TWA: 200 ppm	
			TWA: 500	
			mg/m³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Hand Protection	Protective gloves	Glove thickness	Glove comments	-
Eye Protection	Goggles			

Olovo matorial	Disalitieughttinis		
Nitrile rubber	See manufacturers	-	Splash protection only
Viton (R)	recommendations		
	bserve the instructions regarding p		

supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties				
Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate	Liquid Colorless Alcohol-like No information available 7 20% aq. solution -127 °C / -196.6 °F 97 °C / 206.6 °F @ 760 mmHg 15 °C / 59 °F No information available			
•				

Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

Not applicable 13.7 vol % 2.2 vol % 25 mbar @ 20 °C 2.07 0.800 Miscible with water No data available 405 °C / 761 °F No information available 2.2 mPa.s at 20 °C C3 H8 O 60.1

10. Stability and reactivityNone known, based on information availableStable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Reactive Hazard

Stability

Product Information

Component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Propyl alcohol	LD50 = 1870 mg/kg(Rat)	LD50 = 4049 mg/kg (Rabbit)	LC50 > 13548 ppm (Rat)4 h
Toxicologically Synergistic	No information available		

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Severe eye irritant

Sensitization No information available

Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
n-Propyl alcohol	71-23-8	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	S	No information available.					
Developmental Effect	cts	No information available.					
Feratogenicity No information available.							

The table below indicates whether each agency has listed any ingredient as a carcinogen.

STOT - single exposure STOT - repeated exposure	Central nervous system (CNS) None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
n-Propyl alcohol	Not listed	Pimephales promelas: LC50=4480 mg/L 96h	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	EC50: 3339 - 3977 mg/L, 48h Static (Daphnia magna) EC50: = 3642 mg/L, 48h (Daphnia magna)

12. Ecological information

Persistence and Degradability

Persistence is unlikely

No information available.

Bioaccumulation/ Accumulation

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
n-Propyl alcohol	0.25 - 0.34

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN1274
Proper Shipping Name	N-PROPANOL
Hazard Class	3
Packing Group	ll
TDG	
UN-No	UN1274
Proper Shipping Name	n-Propanol
Hazard Class	3
Packing Group	ll
IATA	
UN-No	UN1274
Proper Shipping Name	n-PROPANOL
Hazard Class	3
Packing Group	ll
IMDG/IMO	
UN-No	UN1274
Proper Shipping Name	N-PROPANOL
Hazard Class	3
Packing Group	II
	15. Regulatory information
	ro, regulatory mormation

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
n-Propyl alcohol	Х	-	Х	200-746-9	-		Х	Х	Х	Х	Х

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	03-June-2010 18-January-2018 18-January-2018 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS