

SAFETY DATA SHEET

Creation Date 16-November-2010

Revision Date 07-March-2018

Revision Number 4

1. Identification Sodium dichromate dihydrate

Product Name

Cat No. :

Synonyms

CAS-No

S234-10, S234-3, S234-500, S235-3, S235-500, S258-3

7789-12-0 Sodium bichromate

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Manufacturer

Fisher Scientific

One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

Oxidizing solids	Category 2	
Acute oral toxicity	Category 3	
Acute dermal toxicity	Category 4	
Acute Inhalation Toxicity	Category 2	
Skin Corrosion/irritation	Category 1 B	
Serious Eye Damage/Eye Irritation	Category 1	
Respiratory Sensitization	Category 1	
Skin Sensitization	Category 1	
Germ Cell Mutagenicity	Category 1B	
Carcinogenicity	Category 1B	
Reproductive Toxicity	Category 1B	
Specific target organ toxicity (single exposure)	Category 3	
Target Organs - Respiratory system.		
Specific target organ toxicity - (repeated exposure)	Category 1	
Target Organs - Liver, Kidney, Blood.	• •	

Label Elements

Signal Word Danger

Hazard Statements

May intensify fire; oxidizer Toxic if swallowed Harmful in contact with skin Fatal if inhaled Causes severe skin burns and eye damage May cause an allergic skin reaction May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation May cause genetic defects May cause cancer May damage fertility. May damage the unborn child Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium dichromate dihydrate	7789-12-0	>95
Sodium dichromate	10588-01-9	-

4. First-aid measures				
General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.			
Inhalation	Move to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.			
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.			
Most important symptoms/effects Notes to Physician	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically			
5. Fire-fighting measures				

	3	0
Unsuitable Extinguishing Media	No information available	
Flash Point Method -	No information available No information available	
Autoignition Temperature Explosion Limits	No information available	
Upper	No data available	
Lower	No data available	
Oxidizing Properties	Oxidizer	

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Highly toxic fumes Sodium oxides Chromium oxide

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health 4	Flammability 0	Instability 1	Physical hazards OX	
	6. Accidental re	elease measures		
Personal Precautions	ventilation. Keep people a	quipment. Evacuate personnel t away from and upwind of spill/lea	ak. Avoid dust formation.	
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.			
Methods for Containment and Clea Up	an Sweep up or vacuum up s formation.	spillage and collect in suitable co	ontainer for disposal. Avoid dust	

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors/dust. Avoid dust formation. Keep away from clothing and other combustible materials.
Characte	Keep containers tightly closed in a dry cool and well ventilated place. Correctives area, De

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store near combustible materials.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
		Columbia					
Sodium dichromate	TWA: 0.05	TWA: 0.025	TWA: 0.05	TWA: 0.05	TWA: 0.05	(Vacated)	IDLH: 15 mg/m ³
dihydrate	mg/m ³ TWA: 0.5	mg/m ³	mg/m ³	mg/m ³	mg/m ³	Ceiling: 0.1	TWA: 0.0002
, , , , , , , , , , , , , , , , , , , ,	mg/m ³	Ceiling: 0.1	3.	5	5	mg/m ³	mg/m ³
	-	mg/m ³				Ceiling: 0.1	-
		5				mg/m³	
Sodium dichromate	TWA: 0.05	TWA: 0.025	TWA: 0.05	TWA: 0.05	TWA: 0.05	(Vacated)	IDLH: 15 mg/m ³
	mg/m ³ TWA: 0.5	mg/m ³	mg/m ³	mg/m ³	mg/m ³	Ceiling: 0.1	TWA: 0.0002
	mg/m ³	Ceiling: 0.1	ů –	U	U U	mg/m ³	ma/m ³
	Ŭ,	mg/m ³				Ceiling: 0.1	
		5				mg/m³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Hand Protection	Goggles Protective gloves		
Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	Glove comments Splash protection only

PVC

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. P	hysical and chemical properties
Physical State	Solid
Appearance	Orange
Odor	Odorless
Odor Threshold	No information available
рН	3.5-3.9 5% aq.sol
Melting Point/Range	357 °C / 674.6 °F
Boiling Point/Range	400 °C / 752 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	400 °C
Viscosity	Not applicable
Molecular Formula	Cr2 Na2 O7 . 2 H2 O
Molecular Weight	298
	10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.
Conditions to Avoid	Incompatible products. Excess heat. Combustible material.
Incompatible Materials	Organic materials, Acids, Water, Strong bases, Acid anhydrides, Metals, Reducing agents, Powdered metals, Strong reducing agents, Combustible material

Hazardous Decomposition Products Highly toxic fumes, Sodium oxides, Chromium oxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium dichromate	LD50 = 46 mg/kg (Rat)	LD50 = 960 mg/kg (Rabbit)	LC50 = 200 mg/m ³ (Rat) 4 h
Toxicologically Synergistic	No information available		

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium dichromate dihydrate	7789-12-0	Not listed	Known	A1	Х	A1
Sodium dichromate	10588-01-9	Group 1	Known	A1	Х	A1
Sodium dicriomate 10588-01-9 Group 1 Known A1 X IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Hu ACGIH: (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen Mexico - Occupational Exposure Limits - Carcinogens A2 - Suspected Human Carcinogen ACGIH: (American Conference of Governmental Industrial I Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen A2 - Suspected Human Carcinogen A4 - Not Classifiable as a Human Carcinogen A4 - Not Classifiable as a Human Carcinogen				be a Human Iustrial Hygienists)		
Mutagenic Effects		Mutagenic	A5 - NOI 31	ispected as a Human	Carcinogen	
Reproductive Effect	ts	Possible risk of im	paired fertility.			
Developmental Effe	cts	No information ava	ailable.			
Teratogenicity		Teratogenic effect	s have occurred in	experimental anin	nals.	
STOT - single expos STOT - repeated exp		Respiratory system Ire Liver Kidney Blood				
Aspiration hazard		No information available				
Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicate Possible perforation of stomach or esophagus should be investigated: Ingestion severe swelling, severe damage to the delicate tissue and danger of perforation:				gestion causes		

of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium dichromate	Not listed	LC50: = 213 mg/L, 96h static	Not listed	EC50: = 1.4 mg/L, 24h
		(Lepomis macrochirus)		(Daphnia magna)
		LC50: = 69 mg/L, 96h		EC50: 0.098 - 0.129 mg/L,
		flow-through (Oncorhynchus		48h (Daphnia magna)
		mykiss)		
		LC50: = 33.2 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
Persistence and Degrada	ability based on inf	ormation available. May pe	rsist	

Persistence and Degradability

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	•
DOT	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Proper technical name	Sodium dichromate dihydrate
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
TDG	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
<u>IATA</u>	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
IMDG/IMO	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1

Packing Group

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

Ш

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium dichromate dihydrate	-	-	-	-	-		Х	-	Х	Х	-
Sodium dichromate	Х	-	Х	234-190-3	-		Х	Х	Х	Х	Х

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Creation Date Revision Date Print Date Revision Summary	16-November-2010 07-March-2018 07-March-2018 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS