

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

	Revision Date 06/17/2018	Version 1.4
SECTION 1.Identification		
Product identifier		
Product number	EX0564	
Product name	Ethylene Glycol	
CAS-No.	107-21-1	
Relevant identified uses of t	he substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	e safety data sheet	
Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobic Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany	6
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 4, Oral, H302 Specific target organ systemic toxicity - repeated exposure, Category 2, Oral, Kidney, H373 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard StatementsH302 Harmful if swallowed.H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P314 Get medical advice/ attention if you feel unwell.
P330 Rinse mouth.
P501 Dispose of contents/ container to an approved waste disposal plant.

62.07 g/mol

Other hazards

None known.

Molar mass

SECTION 3. Composition/information on ingredients			
Formula	HOCH ₂ CH ₂ OH	C₂H₀O₂ (Hill)	

Hazardous ingredients

Chemical name (Concentration) CAS-No. ethylene glycol (>= 90 % - <= 100 %) 107-21-1

SECTION 4. First aid measures

Description of first-aid measures

Inhalation After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

agitation, Nausea, Vomiting, Tiredness, ataxia (impaired locomotor coordination), CNS disorders, Unconsciousness

Indication of any immediate medical attention and special treatment needed Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb[®]). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at room temperature.

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

SECTION 8. Exposure controls/personal protection

Exposure lim	nit(s)
Ingredient	s

ngreaients			
Basis	Value	Threshold limits	Remarks
<i>ethylene glycol</i> CAD AB OEL	<i>107-21-1</i> Ceiling Limit Value:	100 mg/m³	
CAD BC OEL	Ceiling Limit Value:	50 ppm	Form of exposure: Vapores.
	Ceiling Limit Value:	100 mg/m³	Form of exposure: Aerosol.
	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Particulate.
	Short Term Exposure Limit (STEL):	20 mg/m ³	Form of exposure: Particulate.
CAD MB OEL	Ceiling Limit Value:	100 mg/m³	Form of exposure: Aerosol.
CAD ON OEL	Ceiling Limit Value (CEV):	100 mg/m³	Form of exposure: Aerosol.
OEL (QUE)	Ceiling Limit Value:	50 ppm 127 mg/m³	Form of exposure: Vapor and mist.

Recirculation prohibited Form of exposure: Vapor and mist.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Eye/face protection Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	Nitrile rubber 0.11 mm > 480 min
splash contact:		
	Glove material: Glove thickness:	Nitrile rubber 0.11 mm
	Break through time:	> 480 min

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment: protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapors of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

Physical sta	te	liquid
Color		colorless
Odor		odorless
Odor Thresh	nold	Not applicable
рН		6 - 7.5 at 100 g/l 68 °F (20 °C)
Melting poin	t/range	7 - 14 °F (-1410 °C)
Boiling point	/boiling range	387.7 °F (197.6 °C) at 1,013 hPa
Flash point		232 °F (111 °C) Method: c.c.
Evaporation	rate	No information available.
Flammability	/ (solid, gas)	No information available.
Lower explo	sion limit	3.2 %(V)
Upper explo	sion limit	15.3 %(V)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number Product name	EX0564 Ethylene Glycol	Version 1.4
Vapor pressure	0.053 hPa at 68 °F (20 °C)	
Relative vapor density	2.14	
Density	1.11 g/cm3 at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	1,000 g/l at 68 °F (20 °C)	
Partition coefficient: n- octanol/water	log Pow: -1.36 (experimental) (Lit.) Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	> 392 - 482 °F (> 200 - 250 °C) Distillable in an undecomposed state at normal pressure.	
Viscosity, dynamic	21 mPa.s at 68 °F (20 °C)	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Ignition temperature	770 °F (410 °C) Method: DIN 51794	
Conductivity	< 1 µS/cm	

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with:

Aluminum, perchloric acid

Risk of ignition or formation of inflammable gases or vapors with:

chromyl chloride, Strong oxidizing agents, chlorates, Peroxides, potassium permanganate

Exothermic reaction with:

chlorosulfonic acid, Sodium hydroxide, fuming sulfuric acid, sulfuric acid

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

Conditions to avoid Strong heating.

Incompatible materials various plastics

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact

Acute oral toxicity LDLO human: 786 mg/kg (RTECS)

Symptoms: Nausea, Vomiting

Acute inhalation toxicity LC50 Rat: > 2.5 mg/l; 6 h ; aerosol (ECHA)

Acute dermal toxicity LD50 Mouse: > 3,500 mg/kg (ECHA)

Skin irritation Rabbit Result: No irritation (ECHA)

Eye irritation Rabbit Result: No eye irritation (ECHA) *Sensitization* Patch test: Result: negative

(IUCLID)

Genotoxicity in vivo Chromosome aberration test Rat Result: negative (ECHA)

Product number	EX0564	Version 1.
Product name	Ethylene Glycol	
<i>Genotoxicity in vitro</i> Ames test Escherichia coli/Saln Result: negative Method: OECD Test		
Mutagenicity (mamm Result: negative (ECHA)	al cell test): chromosome aberration.	
<i>Carcinogenicity</i> Did not show carcino	genic effects in animal experiments.	
,	<i>systemic toxicity - single exposure</i> xture is not classified as specific target organ toxicant, single ex	posure.
<i>Aspiration hazard</i> Regarding the availa	able data the classification criteria are not fulfilled.	
Carcinogenicity		
IARC	No ingredient of this product present at levels greate	r than or
	equal to 0.1% is identified as probable, possible or c	onfirmed
	human carcinogen by IARC.	
OSHA	No component of this product present at levels great	er than or
	equal to 0.1% is on OSHA's list of regulated carcino	gens.
NTP	No ingredient of this product present at levels greate	r than or
	equal to 0.1% is identified as a known or anticipated	carcinogen
	by NTP.	
ACGIH	No ingredient of this product present at levels greate	er than or
	equal to 0.1% is identified as a carcinogen or potenti	ial
	carcinogen by ACGIH.	
Other dangerous pro		

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish LC50 Oncorhynchus mykiss (rainbow trout): > 18,500 mg/l; 96 h (External MSDS)

Product number Product name	EX0564 Ethylene Glycol	Version 1
<i>Toxicity to algae</i> IC5 Scenedesmus qua	adricauda (Green algae): > 10,000 mg/l; 7 d (Lit.)	
<i>Toxicity to bacteria</i> static test EC5 Pseudo DIN 38412	omonas putida: > 10,000 mg/l; 16 h	
Persistence and degrada Biodegradability 100 %; 10 d; aerobic OECD Test Guideline Readily biodegradable	301A	
<i>Biochemical Oxygen I</i> 780 mg/g (5 d) (IUCLID)	Demand (BOD)	
<i>Chemical Oxygen Dei</i> 1,190 mg/g (IUCLID)	nand (COD)	
<i>Theoretical oxygen de</i> 1,290 mg/g (IUCLID)	emand (ThOD)	
<i>Ratio BOD/ThBOD</i> BOD5 60 % (IUCLID)		
Bioaccumulative potentia Partition coefficient: n log Pow: -1.36 (experimental) (Lit.) Bioaccumulation	-octanol/water	
Mobility in soil No information availab	ble.	

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.





Signal Word Warning

Hazard StatementsH302 Harmful if swallowed.H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements Response P314 Get medical advice/ attention if you feel unwell.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/17/2018

Product number	EX0564	Version 1.4
Product name	Ethylene Glycol	

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.